AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

AARONSON P.I. & BENHAM C.D. Alterations in $[Ca]_i$ and membrane current mediated by Na–Ca exchange in smooth muscles cells isolated from the guinea-pig ureter. (C) 92*P*

ABAYASEKARA D.R.E., ONYEZILI N.I. & WHITEHOUSE B.J. Attenuation of ACTH-induced hypertension in the rat by oral administration of neomycin. (PC) 185*P*

ADNOT S., ANDRIVET P., ATLAN G., BRAQUET P. & CHABRIER P.E. A physiological role of atrial natriuretic factor in modulating the pulmonary vascular tone in humans. (C) 129*P*

ADNOT S., GIGARINI I. & HARF A. Pulmonary vasodilator response to atrial natriuretic factor and sodium nitroprusside in anaesthetized pigs. (C) 130*P*

AHIDOUCH A. & DELORME P. Changes observed in neuromuscular junctions and muscle fibres of the rabbit sternocephalic muscle after denervation and heterogeneous reinnervation. (PC) 194*P*

AL-BALOOL Fawzia & DEBNAM E.S. Chronic ethanol ingestion and Na^+-dependent nutrient transport across the isolated brush border membrane of rat jejunum. (PC) 225*P*

ALBE-FESSARD D., MATEJICEK M., MAVOUNGOU R. & SANDERSON P. Abnormal activity of substantia nigra reticulata neurones in rats treated with haloperidol. (C) 21*P*

ALFORD Simon, SIGVARDT Karen A. & WILLIAMS Thelma L. Voltage-dependent conductance activated by excitatory transmission in neurones of the motor system of the lamprey *in vitro*. (C) 87*P*

AL-GAILANI B.T. & COTTERRELL D. Effect of free intracellular calcium on the deformability of human erythrocyte ghosts resealed with a Ca-buffer. (PC) 227*P*

ALLEN D.G., NICHOLS C.G. & SMITH G.L. The effects of changes in muscle length during diastole on the calcium transient in ferret ventricular muscle. 359

AL-MASKATI Haifa & ZBROŻYNA A.W. Centrally induced inhibition of the cardiovascular and behavioural components of the defence reaction in rats. (C) 111*P*

ALVAREZ-LEEFMANS F.J., GAMIÑO S.M., GIRALDEZ F. & NOGUERÓN Isabel Intracellular chloride regulation in amphibian dorsal root ganglion neurones studied with ion-selective microelectrodes. 225

AMADIEU-FARMAKIS M., BARLET J.P., GIRY J. & KATI-COULIBALY S. Plasma atrial natriuretic peptide (ANP) and vasopressin changes in calves during the postnatal period. (C) 131*P*

AMES III Adelbert & BARAD Mark Metabolic flux of cyclic GMP and phototransduction in rabbit retina. 163

AMESS J.A.L., ELLORY J.C., HALL A.C. & STUART J. Rapid loss of volume-sensitive KCl transport in 'young' human HbAA and HbSS red cells during incubation *in vitro*. (PC) 229*P*

AMIEL C., BERNARD C., FERRARY E. & STERKERS O. Sodium transport from endolymph to perilymph across the isolated frog inner-ear epithelium. (C) 120*P*

AMIRAT Z., BRUDIEUX R., CHATELAIN A. & DUPOUY J.P. Seasonal changes in plasma concentration and pituitary content of ACTH in a desert rodent, the sand rat (*Psammomys obesus*). (PC) 202*P*

AMJAD A.M., BREEZE P. & ROSENBERG J.R. The application of partial phase to the analysis of the association between spike trains. (D) 5*P*

AMSALLEM B., CESARO P., JOULIN Y., NGUYEN Legros J. & POLLIN B. Possible role of the nucleus reticularis thalami (nRT) in the control of interactions between specific and non-specific thalamic nuclei in the anaesthetized rat. (PC) 171*P*

ANDERSON Debra F., FABER J. Job & PARKS Christine M. Extraplacental transfer of water in the sheep. 75

ANDRIVET P. *see* ADNOT S., ANDRIVET P., ATLAN G., BRAQUET P. & CHABRIER P.E. A physiological role of atrial natriuretic factor in modulating the pulmonary vascular tone in humans. (C) 129*P*

ANGAUT-PETIT D., MOLGO J. & THESLEFF S. Presynaptic study of frog neuromuscular junction *in vitro* poisoned with botulinum A toxin. (C) 59*P*

ANIKSZTEJN L., CHARRIAUT-MARLANGUE C. & ROISIN M.P. Release of proteins during long-term potentiation in the hippocampus of the anaesthetized rat. (C) 20*P*

ANTONI Hermann, BÖCKER Dirk & EICKHORN Roland Sodium current kinetics in intact rat papillary muscle: measurements with the loose-patch-clamp technique. 199

ARAN J.-M., DULON D., ERRE J.-P., HAYASHIDA T. & HIEL H. Evidence that gentamicin acts directly on the hair cells of the cochlea. A physiopathological, immunohistochemical and radioautographic study in the guinea-pig. (C) 58P

ARATAUD F. *see* ARIANO M., ARATAUD F., BARUCH P., CHERAMY A. & GLOWINSKI J. *In vivo* CNS release of cholecystokinin in anaesthetized cats and its regulation by dopaminergic treatments. (PC) 172P

ARGIBAY J.A., BONNET P. & GARNIER D. Hypoxia-induced relaxation of rabbit main pulmonary artery *in vitro*. (C) 148P

ARHAN P., DOYE C., FAVERDIN C., FEKETE C., PELLERIN D. & RICOUR C. Disappearance of the recto-anal inhibitory reflex after enterostomy and its reappearance after closure in children. (C) 140P

ARIANO M., ARATAUD F., BARUCH P., CHERAMY A. & GLOWINSKI J. *In vivo* CNS release of cholecystokinin in anaesthetized cats and its regulation by dopaminergic treatments. (PC) 172P

ARMSTRONG J.M., BARRAS M., LEFOURNIER C. & MARTIN D.J. The contribution of extracellular Ca^{2+} to carbachol- and K^+-induced contractions of guinea-pig taenia caecum *in vitro*. (PC) 211P

ASCHER P., HENDERSON G. & JOHNSON J.W. Dual inhibitory actions of kynurenate on the *N*-methyl-D-aspartate (NMDA)-activated response of cultured mouse cortical neurones. (C) 141P

ASHLEY R.H. & WILLIAMS A.J. Some effects of calcium and magnesium on the gating of the Ca release channel of sheep heart sarcoplasmic reticulum. (C) 84P

ASHLEY R.H. & WILLIAMS A.J. Activation of the sheep cardiac muscle sarcoplasmic reticulum membrane Ca^{2+} channel by AR-L 115 (sulmazole). (PC) 213P

ATLAN G. *see* ADNOT S., ANDRIVET P., ATLAN G., BRAQUET P. & CHABRIER P.E. A physiological role of atrial natriuretic factor in modulating the pulmonary vascular tone in humans. (C) 129P

ATLAN G., BOUISSOU P., DUBRAY C., GALEN F.X., KEROMES A., LARTIGUE M. & RICHALET J.P. Effect of β-adrenergic blockade on atrial natriuretic peptide, plasma renin activity and aldosterone during physical exercise in man. (PC) 193P

AZERAD J., FUENTES F., LENDAIS I., LIMOGE A. & POLLIN B. Methods for selective tooth pulp stimulation in acute and chronic preparations in rats. (D) 3P

AZERAD J., DECORTE L., POLLIN B. & THIESSON D. Histochemical and immunocytochemical study of primary afferent neurones innervating the dental pulp in the rat and in the cat. (PC) 163P

BAKHRAMOV A., BREGESTOVSKI P. & TAKEDA K. Histamine-dependent currents in endothelial cells isolated from human umbilical vein. (C) 90P

BALAYADI M., FILECCI R. & JULE Y. Nerve-evoked opioid inhibition of the post-stimulus discharge of fast cholinergic excitatory postsynaptic potentials elicited in neurones of the cat inferior mesenteric ganglion *in vitro*. (C) 139P

BANKS R.W. Studies on the motor innervation of tenuissimus muscle spindles in the anaesthetized cat. (C) 70P

BANKS R.W., BARKER D., SAED H.H. & STACEY M.J. Innervation of muscle spindles in rat deep masseter. (PC) 161P

BARAD Mark *see* AMES III Adelbert & BARAD Mark Metabolic flux of cyclic GMP and photo-transduction in rabbit retina. 163

BARBIN D. & SAUVIAT M.P. Effects of Bistramide A on transmembrane currents in isolated voltage-clamped cut-end frog skeletal muscle. (PC) 215P

BARKER D., BERRY R.B. & SCOTT J.J.A. Recovery of cat muscle spindles following immediate or delayed repair of the severed muscle nerve. (C) 71P

BARKER D. *see* BANKS R.W., BARKER D., SAED H.H. & STACEY M.J. Innervation of muscle spindles in rat deep masseter. (PC) 161P

BARLET J.P. *see* AMADIEU-FARMAKIS M., BARLET J.P., GIRY J. & KATI-COULIBALY S. Plasma atrial natriuretic peptide (ANP) and vasopressin changes in calves during the postnatal period. (C) 131P

BARRAS M. *see* ARMSTRONG J.M., BARRAS M., LEFOURNIER C. & MARTIN D.J. The contribution of extracellular Ca^{2+} to carbachol- and K^+-induced contractions of guinea-pig taenia caecum *in vitro*. (PC) 211P

BARRÉ H., DETTMAR A. & DECHAMP C. Non-shivering thermogenesis induced by glucagon in skeletal muscle of cold-acclimated ducklings. (C) 54P

BARROW S.E., COCKCROFT J.R., DOKTOR H.S. & RITTER J.M. The effect of intravenous aspirin on excretion of metabolites of prostacyclin and thromboxane in man. (C) 134P

BARTHE J.Y., CATTAERT D. & CLARAC F. An interneurone can induce both rhythmical and postural motor programs in the abdomen of *Homarus gammarus*. (C) 77P

BARTHELÉMY C., BRUNEAU N., GARREAU B., LELORD G., MARTINEAU J. & ROUX S. Auditory evoked potential modifications in autistic children under DL-fenfluramine treatment. Relationship with behavioural and biochemical responsiveness. (PC) 183P

BARTHÉLÉMY L., SÉBERT P. & SIMON B. Opposite effects of hydrostatic pressure (HP) and water nitrogen partial pressure (P_{wN_2} 71 ATA) on eel oxygen consumption. (C) 95P

BARUCH P. *see* ARIANO M., ARATAUD F., BARUCH P., CHERAMY A. & GLOWINSKI J. *In vivo* CNS release of cholecystokinin in anaesthetized cats and its regulation by dopaminergic treatments. (PC) 172P

BAUDET S., LEOTY C. & NOIREAUD J. The effect of hypertrophy on the intracellular calcium activity in isolated right ventricular tissue from ferret. (PC) 209P

BAYLOR S.M. & PAPE P.C. Measurement of myoglobin diffusivity in the myoplasm of frog skeletal muscle fibres. 247

BECQUEMIN M.H., BOUCHIKHI A., ROY M. & TEILLAC A. Lung modelling: influence of ventilatory parameters on total particle deposition in the normal human respiratory tract. (PC) 188P

BÉLIVEAU L., BRISSON G., NADEAU R., PÉRONNET F. & TRUDEAU F. Plasma catecholamines (CA) in the aorta and the adrenal vein in dogs: effect of work load and work duration. (PC) 192P

BEN-ARI Y., CORRADETTI Y. & GAIARSA J.L. Spontaneous and evoked giant EPSPs in neurones from immature rat hippocampal slices involve the activation of N-methyl-D-aspartate (NMDA) receptors. (C) 7P

BEN-ARI Y., GHO M., REPRESA A. & ROBAIN O. Effects of the destruction of the mossy fibres on the CA3 pyramidal neurones of rat hippocampal slices. (C) 34P

BENES V., DRUGA R. & ROKYTA R. The thalamocaudate projections in the macaque monkey: an HRP study. (PC) 170P

BENFIELD J., RUSSELL J. & SEDGWICK E.M. The H-reflex and D1 inhibition during spinal shock in man. (PC) 155P

BENHAM C.D. *see* AARONSON P.I. & BENHAM C.D. Alterations in $[Ca]_i$ and membrane current mediated by Na–Ca exchange in smooth muscles cells isolated from the guinea-pig ureter. (C) 92P

BENJAMIN N., COCKCROFT J.R., COLLIER J.G., RITTER J.M. & WEBB D.J. The effect of enalaprilat on responses to vasoactive peptides in resistance vessels of the human forearm. (C) 101P

BENNETT T., GARDINER S.M. & TOMLINSON K.C. Cardiovascular status in normal (Long Evans) and vasopressin (AVP)-deficient (Brattleboro) rats treated with streptozotocin (STZ). (C) 113P

BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic effects of an infusion of a low dose of calcitonin gene-related peptide (CGRP) in conscious rats. (C) 114P

BERNARD C. *see* AMIEL C., BERNARD C., FERRARY E. & STERKERS O. Sodium transport from endolymph to perilymph across the isolated frog inner-ear epithelium. (C) 120P

BERNET F., DELORME P. & HEVOR T. Dopamine and adrenaline levels in chick-cultured neurones and embryonic brain. (PC) 199P

BERRY R.B. *see* BARKER D., BERRY R.B. & SCOTT J.J.A. Recovery of cat muscle spindles following immediate or delayed repair of the severed muscle nerve. (C) 71P

BERTHOZ A. & ISRAËL I. Linear displacement measured by the otoliths can be memorized and reproduced by the saccadic system of man. (C) 22P

BETTANEY J., DRAY A., FORSTER P. & PERKINS M.N. Calcium and the effects of capsaicin on afferent fibres in a neonatal rat isolated spinal cord–tail preparation. (C) 37P

BIANCHI A.L., GRELOT L., ISCOE S. & REMMERS J.E. Respiratory neurones in the ventrolateral aspects of the rostral medulla oblongata in the decerebrate cat: an intracellular study. (C) 109P

BINDMAN Lynn J. & MURPHY K.P.S.J. NMDA-receptors participate in the maintenance of long-term potentiation of synaptic transmission in slices of rat neocortex *in vitro* (PC) 176P

BING Z., BOUHASSIRA D., LE BARS D. & VELLANUEVA L. Encoding of noxious stimuli by Subnucleus Reticularis Dorsalis (SRD) neurones in the medulla of the anaesthetized rat. (C) 66P

BIOS P. & LENFANT J. Existence of an i_f-like current in the isolated cells of the frog sinus venosus. (C) 89P

BIRMINGHAM A.T., MACDONALD I.A. & SAINSBURY R. Food intake, orthostatic tolerance and finger tremor in healthy elderly women. (C) 102P

BKAILY G., CHAHINE M., SPERELAKIS N. & YAMAMOTO T. Taurine increases one type of slow Na^+ and Ca^{2+} current in embryonic heart cells. (C) 91P

BLANC F., FORNI C., GARDETTE-CHAUFFOUR M.C. & ROSTAIN J.C. Effects of high pressure of various gaseous breathing mixtures on striatal dopamine level measured *in vivo* by differential pulse voltammetry in the rat. (C) 98P

BLOCH S., JAEGER R., LEMEIGNAN M. & MARTINOYA C. Correlation between ocular saccades and head movements in walking pigeons. (PC) 173P

BÖCKER Dirk *see* ANTONI Hermann, BÖCKER Dirk & EICKHORN Roland Sodium current kinetics in intact rat papillary muscle: measurements with the loose-patch-clamp technique. 199

BOHN B., KISTER J., MARDEN M. & POYART C. Absence of a Root effect in *Xenopus laevis* (XL) haemoglobin: studies in intact red cells and haemolysate. (PC) 224P

BONNET P. *see* ARGIBAY J.A., BONNET P. & GARNIER D. Hypoxia-induced relaxation of rabbit main pulmonary artery *in vitro*. (C) 148P

BOTHOREL B., CANDAS V. & GESSINGER R. Thermoregulatory responses to vascular fluid changes during dehydration and rehydration with water or carbohydrate electrolyte solutions in exercising man. (PC) 190P

BOTTEMANNE I., MONTEYNE P., OLIVIER E. & ROUCOUX A. Initial eye position influences saccade dynamics in man. (C) 142P

BOUCHIKHI A. *see* BECQUEMIN M.H., BOUCHIKHI A., ROY M. & TEILLAC A. Lung modelling: influence of ventilatory parameters on total particle deposition in the normal human respiratory tract. (PC) 188P

BOUDINOT E., DENAVIT-SAUBIÉ M., FOURNIE-ZALUSKI M.C., MORIN-SURUN M.P. & ROQUES B.P. Respiratory consequences in cats and rats of inhibition of enkephalin-degrading enzymes by kelatorphan. (PC) 169P

BOUDREAU G., DE CHAMPLAIN J., NADEAU R., PÉRONNET F. & YAMAGUCHI N. Modulation of noradrenaline release from cardiac sympathetic nerves during left stellate ganglion stimulation in the anaesthetized dog: role of circulating and tissue adrenaline. (PC) 184P

BOUHASSIRA D. *see* BING Z., BOUHASSIRA D., LE BARS D. & VELLANUEVA L. Encoding of noxious stimuli by Subnucleus Reticularis Dorsalis (SRD) neurones in the medulla of the anaesthetized rat. (C) 66P

BOUISSET S. & ZATTARA M. Is joint fixation during an intentional movement in man due to tonic activation of antagonistic muscles? (C) 30P

BOUISSOU P. *see* ATLAN G., BOUISSOU P., DUBRAY C., GALEN F.X., KEROMES A., LABTIGUE M. & RICHALET J.P. Effect of β-adrenergic blockade on atrial natriuretic peptide, plasma renin activity and aldosterone during physical exercise in man. (PC) 193P

BOUNTRA C., HILGEMANN D. & VAUGHAN-JONES R.D. Extracellular pH transients measured with phenol red and pH-selective microelectrodes in isolated sheep cardiac Purkinje fibres. (C) 125P

BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. Mechanism of rate-dependent pH changes in the sheep cardiac Purkinje fibre. 483

BOURNAUD R., GARCIA L., RIEGER F. & SHIMAHARA T. Slow Ca current in myotubes from the mutant mice 'Muscular Dysgenesis'. (PC) 214P

BOURRET C. & MALLART A. A single type of calcium channel in motor nerve endings isolated from the mouse. (PC) 197P

BOUX G., FOSSIER P., POULAIN B. & TAUC L. Modulation of acetylcholine release by autoreceptors at a central synapse of *Aplysia*: a pharmacological and electrophysiological approach. (PC) 198P

BOUYER J.J., BUSER P., DURAND C., MONTARON M.F. & ROUGEUL A. Electrocortical beta rhythms in the attentive cat: simultaneous involvement of two thalamic nuclei, medialis dorsalis and ventralis lateralis. (PC) 168P

BOYETT M.R., MCCALL E. & ORCHARD C.H. Effect of acidosis on mechanical restitution and the interval–force relation of isolated ferret papillary muscles. (PC) 218P

BRADLEY D.J., PATON J.F.R. & SPYER K.M. Where are the neurones that mediate the fastigial pressor response in the rat? (C) 112P

BRAQUET P. *see* ADNOT S., ANDRIVET P., ATLAN G., BRAQUET P. & CHABRIER P.E. A physiological role of atrial natriuretic factor in modulating the pulmonary vascular tone in humans. (C) 129P

BRAY Milena & SMITH I.C.H. Responses of the isolated human vas deferens to direct and indirect electrical stimulation. (C) 53P

BREEZE P. *see* AMJAD A.M., BREEZE P. & ROSENBERG J.R. The application of partial phase to the analysis of the association between spike trains. (D) 5P

BREGESTOVSKI P. *see* BAKHRAMOV A., BREGESTOVSKI P. & TAKEDA K. Histamine-dependent currents in endothelial cells isolated from human umbilical vein. (C) 90P

BRENIER P. Effective elastance: a misleading concept? (C) 94P

BREWIN M., HIGGS C.M.B., HUDSON T., KENDRICK A.H., LASZLO G. & TANSER A.R. Diffusing capacity of the alveolar capillary membrane (D_m) and the volume of blood in the alveolar capillaries (Q_c) during exercise in man. (C) 98P

BRIGGS Ruth, HIRST B.H. & WILKES J.M. Amiloride sensitivity of proton conductance in rabbit duodenal brush-border membrane vesicles *in vitro*. (C) 117P

BRISSON G. *see* BÉLIVEAU L., BRISSON G., NADEAU R., PÉRONNET F. & TRUDEAU F. Plasma catecholamines (CA) in the aorta and the adrenal vein in dogs: effect of work load and work duration. (PC) 192P

BRONK J.R. & LYNCH Susan Transport of nicotinic acid and nicotinamide by rat isolated small intestine. (PC) 226P

BROWN Margaret D. & HUDLICKA Olga Inotropic responsiveness of isolated papillary muscles from rats and rabbits after prolonged treatment with α_1-antagonist prazosin or β-agonist dobutamine. (C) 143P

BRUDIEUX R. & LAULIN J.P. The reduced aldosterone production by Brattleboro rat adrenals is not related to the inhibitory effect of atrial natriuretic factor. (PC) 201P

BRUDIEUX R. *see* AMIRAT Z., BRUDIEUX R., CHATELAIN A. & DUPOUY J.P. Seasonal changes in plasma concentration and pituitary content of ACTH in a desert rodent, the sand rat (*Psammomys obesus*). (PC) 202P

BRUENS M., DE BEER E., SCHIERECK P., STOKHOF A., VAN HESSEN M. & WESENHAGEN H. The effect of the atrial contraction on the inotropic state of the left ventricle in the anaesthetized closed-chest dog. (C) 106P

BRUNEAU N. *see* BARTHELÉMY C., BRUNEAU N., GARREAU B., LELORD G., MARTINEAU J. & ROUX S. Auditory evoked potential modifications in autistic children under DL-fenfluramine treatment. Relationship with behavioural and biochemical responsiveness. (PC) 183P

BUISSERET P., GARY-BOBO E. & MILLERET C. Visuo-proprioceptive interactions in area 18 neurones of the anaesthetized cat. (C) 25P

BUISSERET P., BUISSERET-DELMAS C. & LEPERCQ H. Extraocular muscle afferents in the cat: central projections and localization of the somata. (PC) 162P

BUISSERET-DELMAS C. *see* BUISSERET P., BUISSERET-DELMAS C. & LEPERCQ H. Extraocular muscle afferents in the cat: central projections and localization of the somata. (PC) 162P

BUSER P., FABRE-THORPE M. & LEVESQUE F. Restricted lesions in the cat pons: effects on a visually guided forelimb movement. (C) 36P

BUSER P. *see* BOUYER J.J., BUSER P., DURAND C., MONTARON M.F. & ROUGEUL A. Electrocortical beta rhythms in the attentive cat: simultaneous involvement of two thalamic nuclei, medialis dorsalis and ventralis lateralis. (PC) 168P

BUTLEN D., MOREL F. & VADROT S. Characterization of insulin receptors along the rat nephron. (C) 132P

CABELGUEN J.M., ORSAL D. & PERRET C. Hindlimb locomotor movements elicited by functional electrical stimulation in the anaesthetized cat. (PC) 152P

CABROL C., DE CERTAINES J.D., DESRUENNES M., EUGENE M., LE MOYEC L. & LE RUMEUR E. Water-suppressed proton NMR spectroscopy of plasma in heart transplantation patients. (PC) 216P

CAMPBELL D.B., EVRARD Yvonne, GORDON B.H. & MCQUEEN D.S. Influence of ganglioglomerular (sympathetic) nerves on responses of carotid chemoreceptors to almitrine in anaesthetized cats. (PC) 189P

CANDAS V. *see* BOTHOREL B., CANDAS V. & GESSINGER R. Thermoregulatory responses to vascular fluid changes during dehydration and rehydration with water or carbohydrate electrolyte solutions in exercising man. (PC) 190P

CAPIOD T., OGDEN D.C., TRENTHAM D.R. & WALKER J.W. Activation of membrane conductance in isolated guinea-pig hepatocytes by photochemically generated intracellular inositol 1,4,5-trisphosphate or free calcium ions. (C) 124P

CARETTE B. & POULAIN P. Vasopressin acts on low-threshold Ca^{2+} spike neurones located near the hypothalmic paraventricular nucleus in guinea-pig brain slices. (PC) 177P

CASE R.M., HOWORTH A.J. & PADFIELD P.J. Effects of acetylcholine, isoprenaline and forskolin on electrolyte and protein composition of rabbit mandibular saliva. 411

CATTAERT D. *see* BARTHE J.Y., CATTAERT D. & CLARAC F. An interneurone can induce both rhythmical and postural motor programs in the abdomen of *Homarus gammarus*. (C) 77P

CAVALLARI P. & KATZ R. Evidence for monosynaptic Ia projections from wrist flexors to elbow flexors in man. (C) 39P

CEDRINI L., GATTULLO D., HYSLOP S., LOSANO G., MARSH N.A., PAGLIARO P., VACCA G. & VONO P. The acid–base effects of Gaboon Viper venom in the anaesthetized rat. (C) 97P

CERVERO Fernando & LAIRD Jennifer Nocireceptive neurones in the dorsal horn of the spinal cord of anaesthetized rats: receptive field properties before and after prolonged noxious mechanical stimulation. (C) 64P

CERVETTO Luigi, MENINI Anna, RISPOLI Giorgio & TORRE Vincent The modulation of the ionic selectivity of the light-sensitive current in isolated rods of the tiger salamander. 181

CESARO P., DE BROUCKER T., LE BARS D. & WILLER J.C. Diffuse noxious inhibitory controls (DNIC) in humans: electrophysiological evidence for an involvement of the brain stem. (C) 65P

CESARO P. *see* AMSALLEM B., CESARO P., JOULIN Y., NGUYEN Legros J. & POLLIN B. Possible role of the nucleus reticularis thalami (nRT) in the control of interactions between specific and non-specific thalamic nuclei in the anaesthetized rat. (PC) 171P

CHABRIER P.E. *see* ADNOT S., ANDRIVET P., ATLAN G., BRAQUET P. & CHABRIER P.E. A physiological role of atrial natriuretic factor in modulating the pulmonary vascular tone in humans. (C) 129P

CHAHINE M. *see* BKAILY G., CHAHINE M., SPERELAKIS N. & YAMAMOTO T. Taurine increases one type of slow Na^+ and Ca^{2+} current in embryonic heart cells. (C) 91P

CHARNET P., NERBONNE J. & RICHARD S. The Ca^{2+} current inactivation in isolated rat ventricular cells: dependence on membrane potential and frequency of activation. (C) 80P

CHARNET P., NARGEOT J., POTREAU D., RAYMOND G. & RICHARD S. Effects of Sr^{2+}, Ba^{2+} and Mn^{2+} ions on the activity of the frog atrial Na^+–Ca^{2+} exchange mechanism. (PC) 204P

CHARRIAUT-MARLANGUE C. *see* ANIKSZTEJN L., CHARRIAUT-MARLANGUE C. & ROISIN M.P. Release of proteins during long-term potentiation in the hippocampus of the anaesthetized rat. (C) 20P

CHATELAIN A. *see* AMIRAT Z., BRUDIEUX R., CHATELAIN A. & DUPOUY J.P. Seasonal changes in plasma concentration and pituitary content of ACTH in a desert rodent, the sand rat (*Psammomys obesus*). (PC) 202P

CHERAMY A. *see* ARIANO M., ARATAUD F., BARUCH P., CHERAMY A. & GLOWINSKI J. *In vivo* CNS release of cholecystokinin in anaesthetized cats and its regulation by dopaminergic treatments. (PC) 172P

CHERKAOUI N., JEAN A. & KESSLER J.P. Activation of excitatory amino acid receptors within the nucleus tractus solitarius elicits the swallowing motor pattern in the anaesthetized rat. (C) 16P

CHERUBINI E. & KING A.E. Excitatory effects of kainic acid and *N*-methyl-D-aspartate on immature hippocampal CA3 pyramidal neurones, *in vitro*. (C) 8P

CHERUBINI E. & SIM J.A. Action of zinc on Ca^{2+}-dependent currents in rat hippocampal neurones *in vitro*. (C) 85P

CHERUBINI E., NORTH R.A. & WILLIAMS J.T. Synaptic potentials in rat locus coeruleus neurones. 431

CLARAC F. *see* BARTHE J.Y., CATTAERT D. & CLARAC F. An interneurone can induce both rhythmical and postural motor programs in the abdomen of *Homarus gammarus*. (C) 77P

CLARK I.M., GELBEY M.P. & PATON J.F.R. Extracellular recordings from sympathetic preganglionic neurones projecting to the caudal lumbar sympathetic chain in the anaesthetized cat. (PC) 157P

CLARKE R.W., FORD T.W. & TAYLOR J.S. The locations within the spinal cord of motoneurones supplying gastrocnemius medialis and semitendinosus muscles of the anaesthetized rabbit. (PC) 158P

COAN E.J., COLLINGRIDGE G.L. & IRVING A.J. APV facilitates the induction of long-term potentiation in Mg^{2+}-free medium in rat hippocampus *in vitro*. (PC) 178P

COCKCROFT J.R. *see* BENJAMIN N., COCKCROFT J.R., COLLIER J.G., RITTER J.M. & WEBB D.J. The effect of enalaprilat on responses to vasoactive peptides in resistance vessels of the human forearm. (C) 101P

COCKCROFT J.R. *see* BARROW S.E., COCKCROFT J.R., DOKTOR H.S. & RITTER J.M. The effect of intravenous aspirin on excretion of metabolites of prostacyclin and thromboxane in man. (C) 134P

CODY F.W.J. & PLANT T. Reciprocal inhibition between human wrist flexors and extensors studied using muscle vibration. (PC) 149P

COGNARD C., RAYMOND G. & RIVET M. On the role of calcium current in the development of contraction of patch-clamped rat skeletal muscle cells in culture. (C) 104P

COGNEAU M. & GOLLES-BAILLIEN M. Magnesium uptake in intestinal brush-border vesicles of spontaneously hypertensive rats. (C) 116P

COHEN Neri M. & LEDERER W.J. Changes in the calcium current of rat heart ventricular myocytes during development. 115

COLLIER J.G. *see* BENJAMIN N., COCKCROFT J.R., COLLIER J.G., RITTER J.M. & WEBB D.J. The effect of enalaprilat on responses to vasoactive peptides in resistance vessels of the human forearm. (C) 101*P*

COLLINGRIDGE G.L. & DAVIES S.N. Synaptic transmission following blockade of non-NMDA-type excitatory amino acid receptors in rat hippocampus *in vitro*. (C) 9*P*

COLLINGRIDGE G.L. *see* COAN E.J., COLLINGRIDGE G.L. & IRVING A.J. APV facilitates the induction of long-term potentiation in Mg^{2+}-free medium in rat hippocampus *in vitro*. (PC) 178*P*

COMPTON A.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic effects of an infusion of a low dose of calcitonin gene-related peptide (CGRP) in conscious rats. (C) 114*P*

CONNORS B.W., MALENKA R.C. & SILVA L.R. Two inhibitory postsynaptic potentials, and $GABA_A$ and $GABA_B$ receptor-mediated responses in neocortex of rat and cat. 443

CONTE-DEVOLX B., JOANNY P., OLIVER C. & STEINBERG J. Effects of catecholamines on the release of immunoreactive corticotrophin-releasing factor (IR-CRF) by rat hypothalamic slices *in vitro*. (PC) 200*P*

CONWAY B.A. Vestibular and neck reflexes and muscle spindle arrangement in cat brachioradialis muscle. (PC) 159*P*

CORABOEUF E., COULOMBE A., DEROUBAIX E., FAIVRE J.F. & LEGRAND A.M. Effects of maitotoxin on calcium and background currents in isolated rat cardiac ventricular cells. (C) 81*P*

CORRADETTI Y. *see* BEN-ARI Y., CORRADETTI Y. & GAIARSA J.L. Spontaneous and evoked giant EPSPs in neurones from immature rat hippocampal slices involve the activation of N-methyl-D-aspartate (NMDA) receptors. (C) 7*P*

CORSI A., GRANATA A.L. & HUDLICKA O. Effect of activity on performance and morphology in ischaemic rat slow muscles. (C) 145*P*

COTTERRELL D. *see* AL-GAILANI B.T. & COTTERRELL D. Effect of free intracellular calcium on the deformability of human erythrocyte ghosts resealed with a Ca-buffer. (PC) 227*P*

COULOMBE A. *see* CORABOEUF E., COULOMBE A., DEROUBAIX E., FAIVRE J.F. & LEGRAND A.M. Effects of maitotoxin on calcium and background currents in isolated rat cardiac ventricular cells. (C) 81*P*

COULOMBE A. & LEFEVRE I. Divalent cation permeable channels at negative membrane potentials in rat cardiac myocytes. (PC) 232*P*

CRABBÉ J. & LEAL T. Effects of aldosterone on $(Na^+ + K^+)$-ATPase in toad sodium-transporting epithelial cells (A6) in culture. (PC) 233*P*

CRANCE J.P., DUVIVIER C., GALLINA C., MARCHAL F. & PESLIN R. Estimation of the upper airway wall impedance in human infants. (C) 93*P*

CREPEL F. & KRUPA M. Selective depression of the glutamate sensitivity of Purkinje cells by phorbol esters. An *in vitro* study on the rat cerebellar slice. (C) 17*P*

CROMMELINCK M., DELREUX V., LAMBIN S., MONTEYNE P. & SCHEPENS B. Extraretinal factors affecting the guidance of an arm movement in man. (PC) 167*P*

CROTTY T.B., GEBRUERS E.M. & HALL W.J. Signals from the stomach and/or intestines contribute to the diuresis on drinking isotonic fluids. (C) 57*P*

CROUZOULON G., DUPUIS Y., FOURNIER P., POREMBSKA S., RAZANAMANIRAKA L. & TARDIVEL S. Involvement of protein kinase C in phosphorylation of alkaline phosphatase from microvillar membranes of the intestine of adult rat. (C) 115*P*

CROWE A. *see* DE BEER E.L., CROWE A., GRUNDEMAN R.L.F., SCHIERECK P. & VEENENDAAL A. Can passive lengthening of the sarcomeres explain the observed force beyond overlap in isolated skinned gracilis muscle of the rabbit? (C) 46*P*

CRUNELLI V., HABY M., JASSIK-GERSCHENFELD Dora, LERESCHE Nathalie & SOLTESZ I. NMDA receptors and rhythmic membrane potential oscillations in rat and cat thalamic projection cells *in vitro*. (C) 12*P*

DALAL A., LEEK B.F. & ROUSSEAU J.P. Gastric centripetal vagal unitary activity in conscious sheep. (C) 137*P*

DASHWOOD M.R. & SPYER K.M. Muscarinic cholinergic receptors within areas involved in central cardiovascular control: an autoradiographic study in the cat. (PC) 164*P*

DAVEY N.J. & ELLAWAY P.H. The excitatory action of single slowly adapting type 1 mechanoreceptors on individual gamma motoneurones in the cat. (C) 28*P*

DAVIES S.N. *see* COLLINGRIDGE G.L. & DAVIES S.N. Synaptic transmission following blockade of non-NMDA-type excitatory amino acid receptors in rat hippocampus *in vitro*. (C) 9*P*

DAVIES S.N., FLETCHER E.J. & LODGE D. Evidence for a fourth glutamate receptor subtype on rat central neurones *in vivo* and *in vitro*? (C) 15*P*

DAWSON J.M. The maintenance of capillary integrity in rat tibialis anterior during limitation of blood supply. (C) 144P

DEAN H.G., HETHERINGTON M.S., MCKENZIE J.D. & WINLOW W. Serotonin levels in brain and foot tissue of *Lymnaea* as measured by HPLC. (C) 76P

DEAN J.W. & LAB M.J. The effect of load changes on the QT interval and T-wave of the epicardial ECG in the anaesthetized pig. (PC) 217P

DE BEER E. *see* BRUENS M., DE BEER E., SCHIERECK P., STOKHOF A., VAN HESSEN M. & WESENHAGEN H. The effect of the atrial contraction on the inotropic state of the left ventricle in the anaesthetized closed-chest dog. (C) 106P

DE BEER E.L., CROWE A., GRUNDEMAN R.L.F., SCHIERECK P. & VEENENDAAL A. Can passive lengthening of the sarcomeres explain the observed force beyond overlap in isolated skinned gracilis muscle of the rabbit? (C) 46P

DEBNAM E.S. *see* AL-BALOOL Fawzia & DEBNAM E.S. Chronic ethanol ingestion and Na^+-dependent nutrient transport across the isolated brush border membrane of rat jejunum. (PC) 225P

DE BROUCKER T. *see* CESARO P., DE BROUCKER T., LE BARS D. & WILLER J.C. Diffuse noxious inhibitory controls (DNIC) in humans: electrophysiological evidence for an involvement of the brain stem. (C) 65P

DE CERTAINES J.D. *see* CABROL C., DE CERTAINES J.D., DESRUENNES M., EUGENE M., LE MOYEC L. & LE RUMEUR E. Water-suppressed proton NMR spectroscopy of plasma in heart transplantation patients. (PC) 216P

DECHAMP C. *see* BARRÉ H., DETTMAR A. & DECHAMP C. Non-shivering thermogenesis induced by glucagon in skeletal muscle of cold-acclimated ducklings. (C) 54P

DE CHAMPLAIN J. *see* BOUDREAU G., DE CHAMPLAIN J., NADEAU R., PÉRONNET F. & YAMAGUCHI N. Modulation of noradrenaline release from cardiac sympathetic nerves during left stellate ganglion stimulation in the anaesthetized dog: role of circulating and tissue adrenaline. (PC) 184P

DECORTE L. *see* AZERAD J., DECORTE L., POLLIN B. & THIESSON D. Histochemical and immunocytochemical study of primary afferent neurones innervating the dental pulp in the rat and in the cat. (PC) 163P

DELORME P. *see* AHIDOUCH A. & DELORME P. Changes observed in neuromuscular junctions and muscle fibres of the rabbit sternocephalic muscle after denervation and heterogeneous reinnervation. (PC) 194P

DELORME P. *see* BERNET F., DELORME P. & HEVOR T. Dopamine and adrenaline levels in chick-cultured neurones and embryonic brain. (PC) 199P

DELPIRE E. & GILLES R. Role of the Ca^{2+}-calmodulin–cAMP system in cell volume regulation of PC12 cultured cells. (C) 122P

DELREUX V. *see* CROMMELINCK M., DELREUX V., LAMBIN S., MONTEYNE P. & SCHEPENS B. Extraretinal factors affecting the guidance of an arm movement in man. (PC) 167P

DEMENEIX B.A. & GRANT N.J. Neurofilament phosphorylation in bovine chromaffin cells cultured in the presence of hypophyseal intermediate lobe cells. (C) 128P

DENAVIT-SAUBIÉ M. *see* BOUDINOT E., DENAVIT-SAUBIÉ M., FOURNIE-ZALUSKI M.C., MORIN-SURUN M.P. & ROQUES B.P. Respiratory consequences in cats and rats of inhibition of enkephalin-degrading enzymes by kelatorphan. (PC) 169P

DEROUBAIX E. *see* CORABOEUF E., COULOMBE A., DEROUBAIX E., FAIVRE J.F. & LEGRAND A.M. Effects of maitotoxin on calcium and background currents in isolated rat cardiac ventricular cells. (C) 81P

DE SAINT-HILAIRE-KAFI S., GIBBS J. & NICOLAÏDIS S. Peripheral administration of bombesin increases duration of sleep in rats. (PC) 180P

DESBAN M., GAUCHY C., GLOWINSKI J. & KEMEL M.L. Selective regulation of dopamine release by muscarinic and nicotinic receptors in striosome and matrix compartments of the cat caudate nucleus deduced from brain slices. (PC) 166P

DESRUENNES M. *see* CABROL C., DE CERTAINES J.D., DESRUENNES M., EUGENE M., LE MOYEC L. & LE RUMEUR E. Water-suppressed proton NMR spectroscopy of plasma in heart transplantation patients. (PC) 216P

DESSEM D., IYADURAI O.D. & TAYLOR A. The role of periodontal receptors in the jaw-opening reflex in the cat. 315

DETTMAR A. *see* BARRÉ H., DETTMAR A. & DECHAMP C. Non-shivering thermogenesis induced by glucagon in skeletal muscle of cold-acclimated ducklings. (C) 54P

DEWAELE C., GRAF W. & VIDAL P.P. Vestibular control of skeletal geometry: effect of global and selective unilateral labyrinthine lesions in the guinea-pig. (C) 32P

DIAZ J. & PÉCOT-DECHAVASSINE M. Induction of nerve sprouting activity by a piece of peripheral nerve placed on the surface of a normally innervated frog muscle. (C) 61*P*

DICKSON M., GLADDEN Margaret H., HALLIDAY D.M. & WARD J. Creep and reverse creep in the dynamic bag_1 fibre of muscle spindles isolated from the tenuissimus muscle of the cat. (C) 73*P*

DIERGENBACH P.C., ELZINGA G. & VAN DER LAARSE W.J. Maximum rate of oxygen consumption correlates with succinate dehydrogenase activity of single muscle fibres in *Xenopus laevis*. (C) 43*P*

DIFRANCESCO D., DUCOURET P., PARENTI M. & TROMBA C. Involvement of adenylate-cyclase in the muscarinic-mediated inhibition of i_f in rabbit SA node. (C) 86*P*

DI LAVORE P., GATTULLO D., GUIOT C., LOSANO G., MARY D.A.S.G., VACCA G. & VONO P. Effect of tachycardia and constriction of left circumflex artery on coronary flow and pressure in anaesthetized dogs. 469

DI NISI J., EHRHART J., LIBERT J.P. & MUZET A. Influence of a benzodiazepine hypnotic on heart rate and respiratory rate in man during noise-disturbed nights. (PC) 181*P*

DI NISI J., EHRHART J. & LIBERT J.P. Effects of daily passive body heating on subsequent sleep during heat acclimation in man. (PC) 182*P*

DOKTOR H.S. *see* BARROW S.E., COCKCROFT J.R., DOKTOR H.S. & RITTER J.M.

DOLLY J.O., MAISEY E.A., POULAIN B., TAUC L. & WADSWORTH J.D.F. Uptake of both light and heavy chains of botulinum neurotoxin by cholinergic neurones of *Aplysia* is mediated by the larger chain. (PC) 196*P*

DO THANH X., GIRAULT A. & PRELOT M. Induction of renal alkaline phosphatase by 24,25-dihydroxycholecalciferol in hypophysectomized rat. (C) 133*P*

DOYE C. *see* ARHAN P., DOYE C., FAVERDIN C., FEKETE C., PELLERIN D. & RICOUR C.

DRAKE-HOLLAND A.J., MILLS C., NOBLE M.I.M., PARKER S., PUGH S. & SEED W.A. Beat-by-beat measurement of human left ventricular mechanics during postural changes and post-extrasystolic potentiation. (C) 107*P*

DRAY A. *see* BETTANEY J., DRAY A., FORSTER P. & PERKINS M.N.

DRUGA R. *see* BENES V., DRUGA R. & ROKYTA R.

DUBRAY C. *see* ATLAN G., BOUISSOU P., DUBRAY C., GALEN F.X., KEROMES A., LARTIGUE M. & RICHALET J.P.

DUCOURET P. *see* DIFRANCESCO D., DUCOURET P., PARENTI M. & TROMBA C.

DUFFIN J. & MCAVOY G.V. The peripheral-chemoreceptor threshold to carbon dioxide in man. 15

DULON D. *see* ARAN J.-M., DULON D., ERRE J.-P., HAYASHIDA T. & HIEL H.

DUPOUY J.P. *see* AMIRAT Z., BRUDIEUX R., CHATELAIN A. & DUPOUY J.P.

DUPUIS Y. *see* CROUZOULON G., DUPUIS Y., FOURNIER P., POREMBSKA S., RAZANAMANIRAKA L. & TARDIVEL S.

DURAND C. *see* BOUYER J.J., BUSER P., DURAND C., MONTARON M.F. & ROUGEUL A.

DURON B. & KHATER-BOIDIN J.

DUVIVIER C. *see* CRANCE J.P., DUVIVIER C., GALLINA C., MARCHAL F. & PESLIN R.

EGAN Christine & RENNIE M.J.

EHRHART J. *see* DI NISI J., EHRHART J., LIBERT J.P. & MUZET A.

EHRHART J. *see* DI NISI J., EHRHART J. & LIBERT J.P. Effects of daily passive body heating on subsequent sleep during heat acclimation in man. (PC) 182*P*

EICKHORN Roland *see* ANTONI Hermann, BÖCKER Dirk & EICKHORN Roland Sodium current kinetics in intact rat papillary muscle: measurements with the loose-patch-clamp technique. 199

EKEN T., HULTBORN H. & KIEHN O. Bi-stable firing pattern of soleus motor units in rats during quiet standing. (C) 29*P*

ELGHISSASSI M., JEULIN A.-C. & NICOLAIDIS S. Neuronal co-action of vasopressin and of angiotensin on the drinking responses of the rat. (C) 146*P*

ELLAWAY P.H. *see* DAVEY N.J. & ELLAWAY P.H. The excitatory action of single slowly adapting type 1 mechanoreceptors on individual gamma motoneurones in the cat. (C) 28*P*

ELLORY J.C. *see* AMESS J.A.L., ELLORY J.C., HALL A.C. & STUART J. Rapid loss of volume-sensitive KCl transport in 'young' human HbAA and HbSS red cells during incubation *in vitro*. (PC) 229*P*

ELZINGA G. *see* DIEGENBACH P.C., ELZINGA G. & VAN DER LAARSE W.J. Maximum rate of oxygen consumption correlates with succinate dehydrogenase activity of single muscle fibres in *Xenopus laevis*. (C) 43*P*

EMONET-DENAND F., FILIPPI G.M., HUNT C.C., LAPORTE Y. & PETIT J. Changes in resistance to stretch elicited by the contraction of slow and fast motor units in cat peroneus longus muscle. (C) 42*P*

ENNIS Sara, KENNEDY Miriam & O'REGAN R.G. Ultrastructural examination of type I cell mitochondria in carotid bodies removed following administration of almitrine bismesylate in anaesthetized cats. (PC) 187*P*

ERRCHIDI S., HILAIRE G. & MONTEAU R. Ventral pontine catecholaminergic influences on the respiratory rhythm: *in vitro* study on the newborn rat. (PC) 165*P*

ERRE J.-P. *see* ARAN J.-M., DULON D., ERRE J.-P., HAYASHIDA T. & HIEL H. Evidence that gentamicin acts directly on the hair cells of the cochlea. A physiopathological, immunohistochemical and radioautographic study in the guinea-pig. (C) 58*P*

ESCANDE D. & THURINGER D. Characteristics of the i_f current in single human myocardial cells. (PC) 203*P*

EUGÈNE D. & TAXI J. GABA-ergic innervation in rat isolated superior cervical ganglia (SCG) studied by combined electrophysiological and immunohistochemical techniques. (PC) 175*P*

EUGENE M. *see* CABROL C., DE CERTAINES J.D., DESRUENNES M., EUGENE M., LE MOYEC L. & LE RUMEUR E. Water-suppressed proton NMR spectroscopy of plasma in heart transplantation patients. (PC) 216*P*

EVRARD Yvonne *see* CAMPBELL D.B., EVRARD Yvonne, GORDON B.H. & McQUEEN D.S. Influence of ganglioglomerular (sympathetic) nerves on responses of carotid chemoreceptors to almitrine in anaesthetized cats. (PC) 189*P*

FABER J. Job *see* ANDERSON Debra F., FABER J. Job & PARKS Christine M. Extraplacental transfer of water in the sheep. 75

FABRE-THORPE M. *see* BUSER P., FABRE-THORPE M. & LEVESQUE F. Restricted lesions in the cat pons: effects on a visually guided forelimb movement. (C) 36*P*

FAGNI L. & ZINEBI F. Excitatory and inhibitory amino-acidergic determinants of the pressure-induced changes in hippocampal activity *in vitro* in the rat. (C) 10*P*

FAIN G.L., LAMB T.D., MATTHEWS H.D. & MURPHY R.L.W. Cytoplasmic calcium concentration mediates light adaptation in cone photoreceptors isolated from the salamander retina. (C) 75*P*

FAIVRE J.F. *see* CORABOEUF E., COULOMBE A., DEROUBAIX E., FAIVRE J.F. & LEGRAND A.M. Effects of maitotoxin on calcium and background currents in isolated rat cardiac ventricular cells. (C) 81*P*

FALEMPIN M., HOLY X., LECLERCQ T., MOUNIER Y. & STEVENS L. Contractile properties of rat soleus muscle after two weeks' hindlimb suspension: studies on *in situ* muscle and isolated skinned fibres. (C) 45*P*

FAURE M. & RAJERISON R.M. Effects of NH_4^+ on cell Na^+ and K^+ contents of medullary thick ascending limb (MAL) isolated from collagenase-treated rat kidney. (C) 119*P*

FAVERDIN C. *see* ARHAN P., DOYE C., FAVERDIN C., FEKETE C., PELLERIN D. & RICOUR C. Disappearance of the recto-anal inhibitory reflex after enterostomy and its reappearance after closure in children. (C) 140*P*

FAVIER R., GUEZENNEC C.Y., LIENHARD F., SERRURIER B. & TUSSEAU M.H. Influence of suspension hypokinesia on rat muscle NADH. (C) 44*P*

FEKETE C. *see* ARHAN P., DOYE C., FAVERDIN C., FEKETE C., PELLERIN D. & RICOUR C. Disappearance of the recto-anal inhibitory reflex after enterostomy and its reappearance after closure in children. (C) 140*P*

FELTZ A. & TALEB O. Chloride channels at high $[Ca]_i$ in isolated porcine intermediate lobe (IL) cells. (PC) 207*P*

FELTZ A. & STANSFELD C. Dendrotoxin-sensitive small conductance K^+ channels in isolated rat sensory neurones. (PC) 208*P*

FERN R. & HARRISON P.J. Conduction slowing and conduction block induced by high extracellular calcium concentration in isolated myelinated nerve fibres of the frog, *Rana temporaria*. (C) 108*P*

FERN R., HARRISON P.J. & RIDDELL J.S. An ascending projection from group II-activated lumbosacral interneurones to the middle lumbar segments of the spinal cord in anaesthetized cat. (PC) 156*P*

FERNANDEZ C., JORDAN M., PERSEGOL L. & VIALA D. Evidence for central entrainment of the medullary respiratory pattern by the locomotor pattern in the decorticate rabbit. (PC) 234*P*

FERRARY E. *see* AMIEL C., BERNARD C., FERRARY E. & STERKERS O. Sodium transport from endolymph to perilymph across the isolated frog inner-ear epithelium. (C) 120*P*

FEUVRAY D. & KHANDOUDI N. Influence of cytoplasmic pH on mitochondrial calcium during ischaemia of the isolated rat heart. (PC) 210*P*

FIELD Anne C., HILL Caryl & LAMB Graham D. Asymmetric charge movement and calcium currents in ventricular myocytes of neonatal rat. 277

FILECCI R. *see* BALAYADI M., FILECCI R. & JULE Y. Nerve-evoked opioid inhibition of the post-stimulus discharge of fast cholinergic excitatory postsynaptic potentials elicited in neurones of the cat inferior mesenteric ganglion *in vitro*. (C) 139*P*

FILIPPI G.M. *see* EMONET-DENAND F., FILIPPI G.M., HUNT C.C., LAPORTE Y. & PETIT J. Changes in resistance to stretch elicited by the contraction of slow and fast motor units in cat peroneus longus muscle. (C) 42*P*

FISCHMEISTER Rudolphe & SHRIER Alvin Interactive effects of isoprenaline, forskolin and acetylcholine on calcium current in single frog ventricular cells. (C) 88*P*

FISHER R.F. The deformation matrix theory of basement membrane: a study of water flow through elastic and rigid filaments in the rat. 1

FLETCHER E.J. & LODGE D. Glycine modulation of NMDA antagonist action in rat neocortical slices. (C) 13*P*

FLETCHER E.J. *see* DAVIES S.N., FLETCHER E.J. & LODGE D. Evidence for a fourth glutamate receptor subtype on rat central neurones *in vivo* and *in vitro*? (C) 15*P*

FLORE P., ODDOU-CHIRPAZ M.F., QUIRION A. & THERMINARIAS A. Effects of cold exposure on catecholamine and metabolic changes obtained during a short exhaustive exercise in man. (PC) 191*P*

FORD T.W. *see* CLARKE R.W., FORD T.W. & TAYLOR J.S. The locations within the spinal cord of motoneurones supplying gastrocnemius medialis and semitendinosus muscles of the anaesthetized rabbit. (PC) 158*P*

FORNI C. *see* BLANC F., FORNI C., GARDETTE-CHAUFFOUR M.C. & ROSTAIN J.C. Effects of high pressure of various gaseous breathing mixtures on striatal dopamine level measured *in vivo* by differential pulse voltammetry in the rat. (C) 96*P*

FORSTER P. *see* BETTANEY J., DRAY A., FORSTER P. & PERKINS M.N. Calcium and the effects of capsaicin on afferent fibres in a neonatal rat isolated spinal cord–tail preparation. (C) 37*P*

FOSSIER P. *see* BOUX G., FOSSIER P., POULAIN B. & TAUC L. Modulation of acetylcholine release by autoreceptors at a central synapse of *Aplysia*: a pharmacological and electrophysiological approach. (PC) 198*P*

FOURNIER P. *see* CROUZOULON G., DUPUIS Y., FOURNIER P., POREMBSKA S., RAZANAMANIRAKA L. & TARDIVEL S. Involvement of protein kinase C in phosphorylation of alkaline phosphatase from microvillar membranes of the intestine of adult rat. (C) 115*P*

FOURNIE-ZALUSKI M.C. *see* BOUDINOT E., DENAVIT-SAUBIÉ M., FOURNIE-ZALUSKI M.C., MORIN-SURUN M.P. & ROQUES B.P. Respiratory consequences in cats and rats of inhibition of enkephalin-degrading enzymes by kelatorphan. (PC) 169*P*

FOWLER M.S., RIDDELL P.M. & STEIN J.F. Biocular fixation and visual direction sense in backward readers. (C) 74*P*

FREEMAN R.D. & OHZAWA I. Binocular interaction of cells in the visual cortex of the cat is unaffected by large interocular differences in contrast. (C) 26*P*

FUENTES F. *see* AZERAD J., FUENTES F., LENDAIS I., LIMOGE A. & POLLIN B. Methods for selective tooth pulp stimulation in acute and chronic preparations in rats. (D) 3*P*

GAIARSA J.L. *see* BEN-ARI Y., CORRADETTI Y. & GAIARSA J.L. Spontaneous and evoked giant EPSPs in neurones from immature rat hippocampal slices involve the activation of N-methyl-D-aspartate (NMDA) receptors. (C) 7*P*

GALEN F.X. *see* ATLAN G., BOUISSOU P., DUBRAY C., GALEN F.X., KEROMES A., LARTIGUE M. & RICHALET J.P. Effect of β-adrenergic blockade on atrial natriuretic peptide, plasma renin activity and aldosterone during physical exercise in man. (PC) 193*P*

GALLI A., NISTRI A. & SIVILOTTI Lucia Binding distribution and electrophysiological responses of glycine receptors in central visual pathways of the isolated frog brain. (C) 14*P*

GALLINA C. *see* CRANCE J.P., DUVIVIER C., GALLINA C., MARCHAL F. & PESLIN R. Estimation of the upper airway wall impedance in human infants. (C) 93*P*

GAMIÑO S.M. *see* ALVAREZ-LEEFMANS F.J., GAMIÑO S.M., GIRALDEZ F. & NOGUERÓN Isabel Intracellular chloride regulation in amphibian dorsal root ganglion neurones studied with ion-selective microelectrodes. 225

GARCIA L. *see* BOURNAUD R., GARCIA L., RIEGER F. & SHIMAHARA T. Slow Ca current in myotubes from the mutant mice 'Muscular Dysgenesis'. (PC) 214*P*

GARDETTE-CHAUFFOUR M.C. *see* BLANC F., FORNI C., GARDETTE-CHAUFFOUR M.C. & ROSTAIN J.C. Effects of high pressure of various gaseous breathing mixtures on striatal dopamine level measured *in vivo* by differential pulse voltammetry in the rat. (C) 96*P*

GARDINER S.M. *see* BENNETT T., GARDINER S.M. & TOMLINSON K.C. Cardiovascular status in normal (Long Evans) and vasopressin (AVP)-deficient (Brattleboro) rats treated with streptozotocin (STZ). (C) 113*P*

GARDINER S.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic effects of an infusion of a low dose of calcitonin gene-related peptide (CGRP) in conscious rats. (C) 114*P*

GARNIER D. *see* ARGIBAY J.A., BONNET P. & GARNIER D. Hypoxia-induced relaxation of rabbit main pulmonary artery *in vitro*. (C) 148*P*

GARREAU B. *see* BARTHELÉMY C., BRUNEAU N., GARREAU B., LELORD G., MARTINEAU J. & ROUX S. Auditory evoked potential modifications in autistic children under DL-fenfluramine treatment. Relationship with behavioural and biochemical responsiveness. (PC) 183*P*

GARY-BOBO E. *see* BUISSERET P., GARY-BOBO E. & MILLERET C. Visuo-proprioceptive interactions in area 18 neurones of the anaesthetized cat. (C) 25*P*

GARY-BOBO E. & PRZYBYSLAWSKI J. Orientation selectivity and contrast sensitivity of neurones in area 17 of dark-reared cats after several years of recovery. (PC) 174*P*

GATTULLO D. *see* CEDRINI L., GATTULLO D., HYSLOP S., LOSANO G., MARSH N.A., PAGLIARO P., VACCA G. & VONO P. The acid–base effects of Gaboon Viper venom in the anaesthetized rat. (C) 97*P*

GATTULLO D. *see* DI LAVORE P., GATTULLO D., GUIOT C., LOSANO G., MARY D.A.S.G., VACCA G. & VONO P. Effect of tachycardia and constriction of left circumflex artery on coronary flow and pressure in anaesthetized dogs. 469

GAUCHY C. *see* DESBAN M., GAUCHY C., GLOWINSKI J. & KEMEL M.L. Selective regulation of dopamine release by muscarinic and nicotinic receptors in striosome and matrix compartments of the cat caudate nucleus deduced from brain slices. (PC) 166*P*

GAUTHIER G.M., NOMMAY D. & VERCHER J.L. Ocular muscle proprioception and visual localization in man. (C) 24*P*

GAUTHIER G.M., VERCHER J.L. & ZOUITENI M. Eye–head movement coordination in man: vestibulo-ocular reflex suppression with head-fixed target fixation. (PC) 150*P*

GEBRUERS E.M. *see* CROTTY T.B., GEBRUERS E.M. & HALL W.J. Signals from the stomach and/or intestines contribute to the diuresis on drinking isotonic fluids. (C) 57*P*

GELBEY M.P. *see* CLARK I.M., GELBEY M.P. & PATON J.F.R. Extracellular recordings from sympathetic preganglionic neurones projecting to the caudal lumbar sympathetic chain in the anaesthetized cat. (PC) 157*P*

GERSCHENFELD H.M. & PAUPARDIN-TRITSCH D. Serotonin induces a slow K current due to the activation of cAMP-dependent protein kinase in snail neurones. (C) 79*P*

GESSINGER R. *see* BOTHOREL B., CANDAS V. & GESSINGER R. Thermoregulatory responses to vascular fluid changes during dehydration and rehydration with water or carbohydrate electrolyte solutions in exercising man. (PC) 190*P*

GHO M. *see* BEN-ARI Y., GHO M., REPRESA A. & ROBAIN O. Effects of the destruction of the mossy fibres on the CA3 pyramidal neurones of rat hippocampal slices. (C) 34*P*

GIAUME C., NEYTON J., RANDRIAMAMPITA C. & TRAUTMANN A. Protein kinase C could mediate the muscarinic modulation of gap junctions in rat lachrymal glands. (C) 60*P*

GIBBS J. *see* DE SAINT-HILAIRE-KAFI S., GIBBS J. & NICOLAÏDIS S. Peripheral administration of bombesin increases duration of sleep in rats. (PC) 180*P*

GIGARINI I. *see* ADNOT S., GIGARINI I. & HARF A. Pulmonary vasodilator response to atrial natriuretic factor and sodium nitroprusside in anaesthetized pigs. (C) 130*P*

GILLES R. *see* DELPIRE E. & GILLES R. Role of the Ca^{2+}-calmodulin–cAMP system in cell volume regulation of PC12 cultured cells. (C) 122*P*

GILMORE Ruth St. C., MCSORLEY P., SANDERSON Gwendolyn & WALLACE W.F.M. Interactions of noradrenaline, barium and the calcium antagonist TMB-8 on the smooth muscle of the rabbit isolated ear artery. (C) 99*P*

GIRALDEZ F. *see* ALVAREZ-LEEFMANS F.J., GAMIÑO S.M., GIRALDEZ F. & NOGUERÓN Isabel Intracellular chloride regulation in amphibian dorsal root ganglion neurones studied with ion-selective microelectrodes. 225

GIRAULT A. *see* DO THANH X., GIRAULT A. & PRELOT M. Induction of renal alkaline phosphatase by 24,25-dihydroxycholecalciferol in hypophysectomized rat. (C) 133*P*

GIRY J. *see* AMADIEU-FARMAKIS M., BARLET J.P., GIRY J. & KATI-COULIBALY S. Plasma atrial natriuretic peptide (ANP) and vasopressin changes in calves during the postnatal period. (C) 131*P*

GLADDEN Margaret H. *see* DICKSON M., GLADDEN Margaret H., HALLIDAY D.M. & WARD J. Creep and reverse creep in the dynamic bag_1 fibre of muscle spindles isolated from the tenuissimus muscle of the cat. (C) 73*P*

GLAVINOVIĆ M.I. Synaptic depression at an active zone in frog neuromuscular junction *in vitro*. (C) 63*P*

GLOWINSKI J. *see* DESBAN M., GAUCHY C., GLOWINSKI J. & KEMEL M.L. Selective regulation of dopamine release by muscarinic and nicotinic receptors in striosome and matrix compartments of the cat caudate nucleus deduced from brain slices. (PC) 166*P*

GLOWINSKI J. *see* ARIANO M., ARATAUD F., BARUCH P., CHERAMY A. & GLOWINSKI J. *In vivo* CNS release of cholecystokinin in anaesthetized cats and its regulation by dopaminergic treatments. (PC) 172*P*

GOLLES-BAILLIEN M. *see* COGNEAU M. & GOLLES-BAILLIEN M. Magnesium uptake in intestinal brush-border vesicles of spontaneously hypertensive rats. (C) 116*P*

GORDON B.H. *see* CAMPBELL D.B., EVRARD Yvonne, GORDON B.H. & MCQUEEN D.S. Influence of ganglioglomerular (sympathetic) nerves on responses of carotid chemoreceptors to almitrine in anaesthetized cats. (PC) 189*P*

GORDON L.G.M. Electrical transients produced by the toad urinary bladder in response to altered medium osmolality. 371

GOUBEL F. & LENSEL-CORBEIL G. Stiffness changes during ramp stretches in isolated frog sartorius muscle as studied by shortening or lengthening steps. (C) 47*P*

GOURDON I., POTREAU D. & RAYMOND G. How do β-adrenoceptors modulate the delayed outward current in isolated frog atrial muscle? (PC) 206*P*

GRAF W. *see* DEWAELE C., GRAF W. & VIDAL P.P. Vestibular control of skeletal geometry: effect of global and selective unilateral labyrinthine lesions in the guinea-pig. (C) 32*P*

GRANATA A.L. *see* CORSI A., GRANATA A.L. & HUDLICKA O. Effect of activity on performance and morphology in ischaemic rat slow muscles. (C) 145*P*

GRANT N.J. *see* DEMENEIX B.A. & GRANT N.J. Neurofilament phosphorylation in bovine chromaffin cells cultured in the presence of hypophyseal intermediate lobe cells. (C) 128*P*

GRAY Peter T.A. Oscillations of free cytosolic calcium evoked by cholinergic and catecholaminergic agonists in rat parotid acinar cells. 35

GRAY P.T.A. The effects of extracellular calcium removal and replacement on cytosolic free calcium in single rat parotid acinar cells. (PC) 228*P*

GREASER Marion L., MOSS Richard L. & REISER Peter J. Variations in contractile properties of rabbit single muscle fibres in relation to troponin T isoforms and myosin light chains. 85

GRELOT L. *see* BIANCHI A.L., GRELOT L., ISCOE S. & REMMERS J.E. Respiratory neurones in the ventrolateral aspects of the rostral medulla oblongata in the decerebrate cat: an intracellular study. (C) 109*P*

GRIFFITHS Nina M. & SIMMONS N.L. Characterization of [3-iodotyrosyl ^{125}I]vasoactive intestinal peptide binding to feline renal plasma membranes *in vitro*. (C) 118*P*

GRUNDEMAN R.L.F. *see* DE BEER E.L., CROWE A., GRUNDEMAN R.L.F., SCHIERECK P. & VEENENDAAL A. Can passive lengthening of the sarcomeres explain the observed force beyond overlap in isolated skinned gracilis muscle of the rabbit? (C) 46*P*

GUEZENNEC C.Y. *see* FAVIER R., GUEZENNEC C.Y., LIENHARD F., SERRURIER B. & TUSSEAU M.H. Influence of suspension hypokinesia on rat muscle NADH. (C) 44*P*

GUIOT C. *see* DI LAVORE P., GATTULLO D., GUIOT C., LOSANO G., MARY D.A.S.G., VACCA G. & VONO P. Effect of tachycardia and constriction of left circumflex artery on coronary flow and pressure in anaesthetized dogs. 469

HABY M. *see* CRUNELLI V., HABY M., JASSIK-GERSCHENFELD Dora, LERESCHE Nathalie & SOLTESZ I. NMDA receptors and rhythmic membrane potential oscillations in rat and cat thalamic projection cells *in vitro*. (C) 12*P*

HALL A.C. *see* AMESS J.A.L., ELLORY J.C., HALL A.C. & STUART J. Rapid loss of volume-sensitive KCl transport in 'young' human HbAA and HbSS red cells during incubation *in vitro*. (PC) 229*P*

HALL W.J. *see* CROTTY T.B., GEBRUERS E.M. & HALL W.J. Signals from the stomach and/or intestines contribute to the diuresis on drinking isotonic fluids. (C) 57*P*

HALLIDAY D.M. *see* DICKSON M., GLADDEN Margaret H., HALLIDAY D.M. & WARD J. Creep and reverse creep in the dynamic bag_1 fibre of muscle spindles isolated from the tenuissimus muscle of the cat. (C) 73*P*

HARDING S.E., JONES S.M. & POOLE-WILSON P.A. Contractile responses of myocytes isolated from human atria to isoprenaline, calcium, forskolin and histamine. (PC) 219*P*

HARF A. *see* ADNOT S., GIGARINI I. & HARF A. Pulmonary vasodilator response to atrial natriuretic factor and sodium nitroprusside in anaesthetized pigs. (C) 130*P*

HARRISON P.J. *see* FERN R. & HARRISON P.J. Conduction slowing and conduction block induced by high extracellular calcium concentration in isolated myelinated nerve fibres of the frog, *Rana temporaria*. (C) 108*P*

HARRISON P.J. *see* FERN R., HARRISON P.J. & RIDDELL J.S. An ascending projection from group II-activated lumbosacral interneurones to the middle lumbar segments of the spinal cord in anaesthetized cat. (PC) 156*P*

HARTZELL H.C., MONGO K.G., SCAMPS F. & VASSORT G. Sphingosine effects on the Ca current in frog cardiac myocytes. (C) 82*P*

HAYASHIDA T. *see* ARAN J.-M., DULON D., ERRE J.-P., HAYASHIDA T. & HIEL H. Evidence that gentamicin acts directly on the hair cells of the cochlea. A physiopathological, immunohistochemical and radioautographic study in the guinea-pig. (C) 58*P*

HENDERSON G. *see* ASCHER P., HENDERSON G. & JOHNSON J.W. Dual inhibitory actions of kynurenate on the *N*-methyl-D-aspartate (NMDA)-activated response of cultured mouse cortical neurones. (C) 141*P*

HERING Barbara & RACKÉ K. Characterization of ^{86}rubidium outflow from isolated rat neurohypophysis: evidence for calcium-activated potassium channels on neurosecretory axons and/or terminals. (PC) 231*P*

HESS R.F. & POINTER J.S. How good is one at discriminating blur in non-foveal regions of the visual field? (C) 27*P*

HETHERINGTON M.S. *see* DEAN H.G., HETHERINGTON M.S., MCKENZIE J.D. & WINLOW W. Serotonin levels in brain and foot tissue of *Lymnaea* as measured by HPLC. (C) 76*P*

HEVOR T. *see* BERNET F., DELORME P. & HEVOR T. Dopamine and adrenaline levels in chick-cultured neurones and embryonic brain. (PC) 199*P*

HIEL H. *see* ARAN J.-M., DULON D., ERRE J.-P., HAYASHIDA T. & HIEL H. Evidence that gentamicin acts directly on the hair cells of the cochlea. A physiopathological, immunohistochemical and radioautographic study in the guinea-pig. (C) 58*P*

HIGGS C.M.B. *see* BREWIN M., HIGGS C.M.B., HUDSON T., KENDRICK A.H., LASZLO G. & TANSER A.R. Diffusing capacity of the alveolar capillary membrane (D_m) and the volume of blood in the alveolar capillaries (Q_c) during exercise in man. (C) 98*P*

HILAIRE G. *see* ERRCHIDI S., HILAIRE G. & MONTEAU R. Ventral pontine catecholaminergic influences on the respiratory rhythm: *in vitro* study on the newborn rat. (PC) 165*P*

HILGEMANN D. *see* BOUNTRA C., HILGEMANN D. & VAUGHAN-JONES R.D. Extracellular pH transients measured with phenol red and pH-selective microelectrodes in isolated sheep cardiac Purkinje fibres. (C) 125*P*

HILL Caryl *see* FIELD Anne C., HILL Caryl & LAMB Graham D. Asymmetric charge movement and calcium currents in ventricular myocytes of neonatal rat. 277

HIRST B.H. *see* BRIGGS Ruth, HIRST B.H. & WILKES J.M. Amiloride sensitivity of proton conductance in rabbit duodenal brush-border membrane vesicles *in vitro*. (C) 117*P*

HOLY X. *see* FALEMPIN M., HOLY X., LECLERCQ T., MOUNIER Y. & STEVENS L. Contractile properties of rat soleus muscle after two weeks' hindlimb suspension: studies on *in situ* muscle and isolated skinned fibres. (C) 45*P*

HORCHOLLE-BOSSAVIT G., JAMI L., LAFLEUR J., LAMY F. & ZYTNICKI D. Effects of prolonged partial contraction of gastrocnemius medialis muscle on triceps surae and plantaris motoneurones in the anaesthetized cat. (C) 41*P*

HOUSLEY Gary D. & SINCLAIR J.D. Localization by kainic acid lesions of neurones transmitting the carotid chemoreceptor stimulus for respiration in rat. 99

HOWORTH A.J. *see* CASE R.M., HOWORTH A.J. & PADFIELD P.J. Effects of acetylcholine, isoprenaline and forskolin on electrolyte and protein composition of rabbit mandibular saliva. 411

HUDLICKA O. *see* CORSI A., GRANATA A.L. & HUDLICKA O. Effect of activity on performance and morphology in ischaemic rat slow muscles. (C) 145*P*

HUDLICKA Olga *see* BROWN Margaret D. & HUDLICKA Olga Inotropic responsiveness of isolated papillary muscles from rats and rabbits after prolonged treatment with α_1-antagonist prazosin or β-agonist dobutamine. (C) 143*P*

HUDSON T. *see* BREWIN M., HIGGS C.M.B., HUDSON T., KENDRICK A.H., LASZLO G. & TANSER A.R. Diffusing capacity of the alveolar capillary membrane (D_m) and the volume of blood in the alveolar capillaries (Q_c) during exercise in man. (C) 98*P*

HULTBORN H. *see* EKEN T., HULTBORN H. & KIEHN O. Bi-stable firing pattern of soleus motor units in rats during quiet standing. (C) 29*P*

HUME Richard I. & THOMAS Steven A. Multiple actions of adenosine 5′-triphosphate on chick skeletal muscle. 503

HUNDAL H.S., LORRABAQUIO-SANCHEZ D. & RENNIE M.J. Effects of streptozotocin-induced diabetes on glutamine transport in perfused rat skeletal muscle. (PC) 221*P*

HUNT C.C. *see* EMONET-DENAND F., FILIPPI G.M., HUNT C.C., LAPORTE Y. & PETIT J. Changes in resistance to stretch elicited by the contraction of slow and fast motor units in cat peroneus longus muscle. (C) 42*P*

HYSLOP S. *see* CEDRINI L., GATTULLO D., HYSLOP S., LOSANO G., MARSH N.A., PAGLIARO P., VACCA G. & VONO P. The acid–base effects of Gaboon Viper venom in the anaesthetized rat. (C) 97*P*

IKEDA Kazuo & KOENIG J.H. Spontaneous release of multiquantal miniature excitatory junction potentials induced by a *Drosophila* mutant. 215

ILES J.F. & SMITH Angela Excitation of quadriceps motoneurones from the motor cortex in man. (C) 147*P*

IRVING A.J. *see* COAN E.J., COLLINGRIDGE G.L. & IRVING A.J. APV facilitates the induction of long-term potentiation in Mg^{2+}-free medium in rat hippocampus *in vitro*. (PC) 178*P*

ISCOE S. *see* BIANCHI A.L., GRELOT L., ISCOE S. & REMMERS J.E. Respiratory neurones in the ventrolateral aspects of the rostral medulla oblongata in the decerebrate cat: an intracellular study. (C) 109*P*

ISRAËL I. *see* BERTHOZ A. & ISRAËL I. Linear displacement measured by the otoliths can be memorized and reproduced by the saccadic system of man. (C) 22*P*

IYADURAI O.D. *see* DESSEM D., IYADURAI O.D. & TAYLOR A. The role of periodontal receptors in the jaw-opening reflex in the cat. 315

IZZO P.N., JORDAN D. & RAMAGE A.G. Anatomical and pharmacological evidence supporting the involvement of serotonin in the central control of cardiac vagal motoneurones in the anaesthetized cat. (C) 19*P*

JACOBS Kimberle M., MARK Gregory P. & SCOTT Thomas R. Taste responses in the nucleus tractus solitarius of sodium-deprived rats. 393

JAEGER R. *see* BLOCH S., JAEGER R., LEMEIGNAN M. & MARTINOYA C. Correlation between ocular saccades and head movements in walking pigeons. (PC) 173*P*

JAMI L. *see* HORCHOLLE-BOSSAVIT G., JAMI L., LAFLEUR J., LAMY F. & ZYTNICKI D. Effects of prolonged partial contraction of gastrocnemius medialis muscle on triceps surae and plantaris motoneurones in the anaesthetized cat. (C) 41*P*

JASSIK-GERSCHENFELD Dora *see* CRUNELLI V., HABY M., JASSIK-GERSCHENFELD Dora, LERESCHE Nathalie & SOLTESZ I. NMDA receptors and rhythmic membrane potential oscillations in rat and cat thalamic projection cells *in vitro*. (C) 12*P*

JEAN A. *see* CHERKAOUI N., JEAN A. & KESSLER J.P. Activation of excitatory amino acid receptors within the nucleus tractus solitarius elicits the swallowing motor pattern in the anaesthetized rat. (C) 16*P*

JEULIN A.-C. *see* ELGHISSASSI M., JEULIN A.-C. & NICOLAIDIS S. Neuronal co-action of vasopressin and of angiotensin on the drinking responses of the rat. (C) 146*P*

JOANNY P. *see* CONTE-DEVOLX B., JOANNY P., OLIVER C. & STEINBERG J. Effects of catecholamines on the release of immunoreactive corticotrophin-releasing factor (IR-CRF) by rat hypothalamic slices *in vitro*. (PC) 200*P*

JOHNSON J.W. *see* ASCHER P., HENDERSON G. & JOHNSON J.W. Dual inhibitory actions of kynurenate on the *N*-methyl-D-aspartate (NMDA)-activated response of cultured mouse cortical neurones. (C) 141*P*

JONES S.M. *see* HARDING S.E., JONES S.M. & POOLE-WILSON P.A. Contractile responses of myocytes isolated from human atria to isoprenaline, calcium, forskolin and histamine. (PC) 219*P*

JORDAN D. *see* IZZO P.N., JORDAN D. & RAMAGE A.G. Anatomical and pharmacological evidence supporting the involvement of serotonin in the central control of cardiac vagal motoneurones in the anaesthetized cat. (C) 19*P*

JORDAN M. *see* FERNANDEZ C., JORDAN M., PERSEGOL L. & VIALA D. Evidence for central entrainment of the medullary respiratory pattern by the locomotor pattern in the decorticate rabbit. (PC) 234*P*

JOULIN Y. *see* AMSALLEM B., CESARO P., JOULIN Y., NGUYEN Legros J. & POLLIN B. Possible role of the nucleus reticularis thalami (nRT) in the control of interactions between specific and non-specific thalamic nuclei in the anaesthetized rat. (PC) 171*P*

JULE Y. *see* BALAYADI M., FILECCI R. & JULE Y. Nerve-evoked opioid inhibition of the post-stimulus discharge of fast cholinergic excitatory postsynaptic potentials elicited in neurones of the cat inferior mesenteric ganglion *in vitro*. (C) 139*P*

KAILA K. *see* BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. Mechanism of rate-dependent pH changes in the sheep cardiac Purkinje fibre. 483

KATI-COULIBALY S. *see* AMADIEU-FARMAKIS M., BARLET J.P., GIRY J. & KATI-COULIBALY S. Plasma atrial natriuretic peptide (ANP) and vasopressin changes in calves during the postnatal period. (C) 131*P*

KATZ R. *see* CAVALLARI P. & KATZ R. Evidence for monosynaptic Ia projections from wrist flexors to elbow flexors in man. (C) 39*P*

KEMEL M.L. *see* DESBAN M., GAUCHY C., GLOWINSKI J. & KEMEL M.L. Selective regulation of dopamine release by muscarinic and nicotinic receptors in striosome and matrix compartments of the cat caudate nucleus deduced from brain slices. (PC) 166*P*

KENDRICK A.H. *see* BREWIN M., HIGGS C.M.B., HUDSON T., KENDRICK A.H., LASZLO G. & TANSER A.R. Diffusing capacity of the alveolar capillary membrane (D_m) and the volume of blood in the alveolar capillaries (Q_c) during exercise in man. (C) 98*P*

KENNEDY Miriam *see* ENNIS Sara, KENNEDY Miriam & O'REGAN R.G. Ultrastructural examination of type I cell mitochondria in carotid bodies removed following administration of almitrine bismesylate in anaesthetized cats. (PC) 187*P*

KEROMES A., LE TRONG J.L., RATHAT C. & RICHALET J.P. Hypoxia-induced decrease in chronotropic response of man to isoprenaline infusion. (C) 100*P*

KEROMES A. *see* ATLAN G., BOUISSOU P., DUBRAY C., GALEN F.X., KEROMES A., LARTIGUE M. & RICHALET J.P. Effect of β-adrenergic blockade on atrial natriuretic peptide, plasma renin activity and aldosterone during physical exercise in man. (PC) 193*P*

KERR D. & MACDONALD I.A. Physiological responses to prolonged, mild hypoglycaemia in humans. (C) 136*P*

KESSLER J.P. *see* CHERKAOUI N., JEAN A. & KESSLER J.P. Activation of excitatory amino acid receptors within the nucleus tractus solitarius elicits the swallowing motor pattern in the anaesthetized rat. (C) 16*P*

KETTENMANN Helmut & SCHLUE Wolf-R. Intracellular pH regulation in cultured mouse oligodendrocytes. 147

KHALLOU J., LUTTON C., PARQUET M., ROITTOT M. & VERNEAU C. Biodynamics of cholesterol and bile acids in cholelithiasic hamsters: effect of amylomaize starch. (C) 55*P*

KHAN J.F., LE BOZEC S. & MONOD H. Determination of maximal maintenance time for an isometric contraction in man: effects of a second simultaneous contraction. (C) 48*P*

KHANDOUDI N. *see* FEUVRAY D. & KHANDOUDI N. Influence of cytoplasmic pH on mitochondrial calcium during ischaemia of the isolated rat heart. (PC) 210*P*

KHATER-BOIDIN J. *see* DURON B. & KHATER-BOIDIN J. Percutaneous stimulation of spinal cord and brain: central motor pathways' conduction velocities in human newborn. (C) 35*P*

KIEHN O. *see* EKEN T., HULTBORN H. & KIEHN O. Bi-stable firing pattern of soleus motor units in rats during quiet standing. (C) 29*P*

KING A.E. *see* CHERUBINI E. & KING A.E. Excitatory effects of kainic acid and *N*-methyl-D-aspartate on immature hippocampal CA3 pyramidal neurones, *in vitro*. (C) 8*P*

KISTER J. *see* BOHN B., KISTER J., MARDEN M. & POYART C. Absence of a Root effect in *Xenopus laevis* (XL) haemoglobin: studies in intact red cells and haemolysate. (PC) 224*P*

KOENIG J.H. *see* IKEDA KAZUO & KOENIG J.H. Spontaneous release of multiquantal miniature excitatory junction potentials induced by a *Drosophila* mutant. 215

KRUPA M. *see* CREPEL F. & KRUPA M. Selective depression of the glutamate sensitivity of Purkinje cells by phorbol esters. An *in vitro* study on the rat cerebellar slice. (C) 17*P*

KUCERA Jan & WALRO Jon M. Differences in the organization of spindles in hindlimb muscles of the rat and cat. (C) 69*P*

KÜNSTER A., LADWEIN E. & WESSLER I. Stimulation of α- and β-adrenoceptors mediates increase in spontaneous and evoked acetylcholine release from the rat isolated phrenic nerve. (PC) 230*P*

LAB M.J. *see* DEAN J.W. & LAB M.J. The effect of load changes on the QT interval and T-wave of the epicardial ECG in the anaesthetized pig. (PC) 217*P*

LABURN H.P., MITCHELL D., MITCHELL G. & SAFFY K. Effects of tracheostomy breathing on brain and body temperatures in hyperthermic sheep. 331

LACEY G. & NISTRI A. TRH enhances excitatory synaptic transmission on frog motoneurones *in vitro*. (PC) 151*P*

LACEY M.G. & NORTH R.A. An inward current activated by hyperpolarization (I_h) in rat substantia nigra zona compacta neurones *in vitro*. (C) 18*P*

LADWEIN E. *see* KÜNSTER A., LADWEIN E. & WESSLER I. Stimulation of α- and β-adrenoceptors mediates increase in spontaneous and evoked acetylcholine release from the rat isolated phrenic nerve. (PC) 230*P*

LAFLEUR J. *see* HORCHOLLE-BOSSAVIT G., JAMI L., LAFLEUR J., LAMY F. & ZYTNICKI D. Effects of prolonged partial contraction of gastrocnemius medialis muscle on triceps surae and plantaris motoneurones in the anaesthetized cat. (C) 41*P*

LAIRD Jennifer *see* CERVERO Fernando & LAIRD Jennifer Nocireceptive neurones in the dorsal horn of the spinal cord of anaesthetized rats: receptive field properties before and after prolonged noxious mechanical stimulation. (C) 64*P*

LAMB Graham D. *see* FIELD Anne C., HILL Caryl & LAMB Graham D. Asymmetric charge movement and calcium currents in ventricular myocytes of neonatal rat. 277

LAMB T.D. *see* FAIN G.L., LAMB T.D., MATTHEWS H.D. & MURPHY R.L.W. Cytoplasmic calcium concentration mediates light adaptation in cone photoreceptors isolated from the salamander retina. (C) 75*P*

LAMBIN S. *see* CROMMELINCK M., DELREUX V., LAMBIN S., MONTEYNE P. & SCHEPENS B. Extraretinal factors affecting the guidance of an arm movement in man. (PC) 167*P*

LAMY F. *see* HORCHOLLE-BOSSAVIT G., JAMI L., LAFLEUR J., LAMY F. & ZYTNICKI D. Effects of prolonged partial contraction of gastrocnemius medialis muscle on triceps surae and plantaris motoneurones in the anaesthetized cat. (C) 41*P*

LAPORTE Y. *see* EMONET-DENAND F., FILIPPI G.M., HUNT C.C., LAPORTE Y. & PETIT J. Changes in resistance to stretch elicited by the contraction of slow and fast motor units in cat peroneus longus muscle. (C) 42*P*

LARTIGUE M. *see* ATLAN G., BOUISSOU P., DUBRAY C., GALEN F.X., KEROMES A., LARTIGUE M. & RICHALET J.P. Effect of β-adrenergic blockade on atrial natriuretic peptide, plasma renin activity and aldosterone during physical exercise in man. (PC) 193*P*

LASZLO G. *see* BREWIN M., HIGGS C.M.B., HUDSON T., KENDRICK A.H., LASZLO G. & TANSER A.R. Diffusing capacity of the alveolar capillary membrane (D_m) and the volume of blood in the alveolar capillaries (Q_c) during exercise in man. (C) 98*P*

LAULIN J.P. *see* BRUDIEUX R. & LAULIN J.P. The reduced aldosterone production by Brattleboro rat adrenals is not related to the inhibitory effect of atrial natriuretic factor. (PC) 201*P*

LE MOYEC L. *see* CABROL C., DE CERTAINES J.D., DESRUENNES M., EUGENE M., LE MOYEC L. & LE RUMEUR E. Water-suppressed proton NMR spectroscopy of plasma in heart transplantation patients. (PC) 216*P*

LEAL T. *see* CRABBÉ J. & LEAL T. Effects of aldosterone on $(Na^+ + K^+)$-ATPase in toad sodium-transporting epithelial cells (A6) in culture. (PC) 233*P*

LE BARS D. *see* CESARO P., DE BROUCKER T., LE BARS D. & WILLER J.C. Diffuse noxious inhibitory controls (DNIC) in humans: electrophysiological evidence for an involvement of the brain stem. (C) 65*P*

LE BARS D. *see* BING Z., BOUHASSIRA D., LE BARS D. & VELLANUEVA L. Encoding of noxious stimuli by Subnucleus Reticularis Dorsalis (SRD) neurones in the medulla of the anaesthetized rat. (C) 66*P*

LEBLOND J. Anoxia and long-term potentiation (LTP) in the CA1 field of hippocampal slices of rats. (C) 38*P*

LE BOZEC S. *see* KHAN J.F., LE BOZEC S. & MONOD H. Determination of maximal maintenance time for an isometric contraction in man: effects of a second simultaneous contraction. (C) 48*P*

LECLERCQ T. *see* FALEMPIN M., HOLY X., LECLERCQ T., MOUNIER Y. & STEVENS L. Contractile properties of rat soleus muscle after two weeks' hindlimb suspension: studies on *in situ* muscle and isolated skinned fibres. (C) 45*P*

LEDERER W.J. *see* COHEN Neri M. & LEDERER W.J. Changes in the calcium current of rat heart ventricular myocytes during development. 115

LEEK B.F. *see* DALAL A., LEEK B.F. & ROUSSEAU J.P. Gastric centripetal vagal unitary activity in conscious sheep. (C) 137*P*

LEFEVRE I. *see* COULOMBE A. & LEFEVRE I. Divalent cation permeable channels at negative membrane potentials in rat cardiac myocytes. (PC) 232*P*

LEFOURNIER C. *see* ARMSTRONG J.M., BARRAS M., LEFOURNIER C. & MARTIN D.J. The contribution of extracellular Ca^{2+} to carbachol- and K^+-induced contractions of guinea-pig taenia caecum *in vitro*. (PC) 211*P*

LEGRAND A.M. *see* CORABOEUF E., COULOMBE A., DEROUBAIX E., FAIVRE J.F. & LEGRAND A.M. Effects of maitotoxin on calcium and background currents in isolated rat cardiac ventricular cells. (C) 81*P*

LELORD G. *see* BARTHELÉMY C., BRUNEAU N., GARREAU B., LELORD G., MARTINEAU J. & ROUX S. Auditory evoked potential modifications in autistic children under DL-fenfluramine treatment. Relationship with behavioural and biochemical responsiveness. (PC) 183*P*

LEMEIGNAN M. *see* BLOCH S., JAEGER R., LEMEIGNAN M. & MARTINOYA C. Correlation between ocular saccades and head movements in walking pigeons. (PC) 173*P*

LENDAIS I. *see* AZERAD J., FUENTES F., LENDAIS I., LIMOGE A. & POLLIN B. Methods for selective tooth pulp stimulation in acute and chronic preparations in rats. (D) 3*P*

LENFANT J. *see* BIOS P. & LENFANT J. Existence of an i_f-like current in the isolated cells of the frog sinus venosus. (C) 89*P*

LENSEL-CORBEIL G. *see* GOUBEL F. & LENSEL-CORBEIL G. Stiffness changes during ramp stretches in isolated frog sartorius muscle as studied by shortening or lengthening steps. (C) 47*P*

LEOTY C. *see* BAUDET S., LEOTY C. & NOIREAUD J. The effect of hypertrophy on the intracellular calcium activity in isolated right ventricular tissue from ferret. (PC) 209*P*

LEPERCQ H. *see* BUISSERET P., BUISSERET-DELMAS C. & LEPERCQ H. Extraocular muscle afferents in the cat: central projections and localization of the somata. (PC) 162*P*

LERESCHE Nathalie *see* CRUNELLI V., HABY M., JASSIK-GERSCHENFELD Dora, LERESCHE Nathalie & SOLTESZ I. NMDA receptors and rhythmic membrane potential oscillations in rat and cat thalamic projection cells *in vitro*. (C) 12*P*

LE RUMEUR E. *see* CABROL C., DE CERTAINES J.D., DESRUENNES M., EUGENE M., LE MOYEC L. & LE RUMEUR E. Water-suppressed proton NMR spectroscopy of plasma in heart transplantation patients. (PC) 216*P*

LESTIENNE F., LIVERNEAUX Ph. & PELLIONISZ A. Morpho-anatomy of sub-occipital muscles in monkey: a tensor model of the musculoskeletal head–neck system. (D) 2*P*

LESTIENNE F. & LIVERNEAUX Ph. Muscular synergies of neck muscles during monkey's head movements. (C) 33*P*

LE TRONG J.L. *see* KEROMES A., LE TRONG J.L., RATHAT C. & RICHALET J.P. Hypoxia-induced decrease in chronotropic response of man to isoprenaline infusion. (C) 100*P*

LEVESQUE F. *see* BUSER P., FABRE-THORPE M. & LEVESQUE F. Restricted lesions in the cat pons: effects on a visually guided forelimb movement. (C) 36*P*

LEVIN R.J., NZEGWU Helen, PEREIRA M. & YOUNG A. Malnourishment enhances the *in vitro* electrogenic secretory response to *E. coli* STa enterotoxin in rat small and large intestine. (C) 56*P*

LIBERT J.P. *see* DI NISI J., EHRHART J., LIBERT J.P. & MUZET A. Influence of a benzodiazepine hypnotic on heart rate and respiratory rate in man during noise-disturbed nights. (PC) 181*P*

LIBERT J.P. *see* DI NISI J., EHRHART J. & LIBERT J.P. Effects of daily passive body heating on subsequent sleep during heat acclimation in man. (PC) 182*P*

LIENHARD F. *see* FAVIER R., GUEZENNEC C.Y., LIENHARD F., SERRURIER B. & TUSSEAU M.H. Influence of suspension hypokinesia on rat muscle NADH. (C) 44*P*

LIGNON J.M. & PEQUEUX A. Anionic selectivity in the isolated gill lamina cuticle of the crayfish. (C) 121*P*

LIMOGE A. *see* AZERAD J., FUENTES F., LENDAIS I., LIMOGE A. & POLLIN B. Methods for selective tooth pulp stimulation in acute and chronic preparations in rats. (D) 3*P*

LIVERNEAUX Ph. *see* LESTIENNE F., LIVERNEAUX Ph. & PELLIONISZ A. Morpho-anatomy of sub-occipital muscles in monkey: a tensor model of the musculoskeletal head–neck system. (D) 2*P*

LIVERNEAUX Ph. *see* LESTIENNE F. & LIVERNEAUX Ph. Muscular synergies of neck muscles during monkey's head movements. (C) 33*P*

LODGE D. *see* FLETCHER E.J. & LODGE D. Glycine modulation of NMDA antagonist action in rat neocortical slices. (C) 13*P*

LODGE D. *see* DAVIES S.N., FLETCHER E.J. & LODGE D. Evidence for a fourth glutamate receptor subtype on rat central neurones *in vivo* and *in vitro*? (C) 15*P*

LORRABAQUIO-SANCHEZ D. *see* HUNDAL H.S., LORRABAQUIO-SANCHEZ D. & RENNIE M.J. Effects of streptozotocin-induced diabetes on glutamine transport in perfused rat skeletal muscle. (PC) 221*P*

LOSANO G. *see* CEDRINI L., GATTULLO D., HYSLOP S., LOSANO G., MARSH N.A., PAGLIARO P., VACCA G. & VONO P. The acid–base effects of Gaboon Viper venom in the anaesthetized rat. (C) 97*P*

LOSANO G. *see* DI LAVORE P., GATTULLO D., GUIOT C., LOSANO G., MARY D.A.S.G., VACCA G. & VONO P. Effect of tachycardia and constriction of left circumflex artery on coronary flow and pressure in anaesthetized dogs. 469

LOWRIE M.B. & VRBOVA G. The effect of stimulation on reinnervation of developing rat muscles. (C) 72*P*

LUTTON C. *see* KHALLOU J., LUTTON C., PARQUET M., ROITTOT M. & VERNEAU C. Biodynamics of cholesterol and bile acids in cholelithiasic hamsters: effect of amylomaize starch. (C) 55*P*

LYNCH Susan *see* BRONK J.R. & LYNCH Susan Transport of nicotinic acid and nicotinamide by rat isolated small intestine. (PC) 226*P*

MCAVOY G.V. *see* DUFFIN J. & MCAVOY G.V. The peripheral-chemoreceptor threshold to carbon dioxide in man. 15

MCCALL E. *see* BOYETT M.R., MCCALL E. & ORCHARD C.H. Effect of acidosis on mechanical restitution and the interval–force relation of isolated ferret papillary muscles. (PC) 218*P*

MACDONALD I.A. *see* BIRMINGHAM A.T., MACDONALD I.A. & SAINSBURY R. Food intake, orthostatic tolerance and finger tremor in healthy elderly women. (C) 102*P*

MACDONALD I.A. *see* KERR D. & MACDONALD I.A. Physiological responses to prolonged, mild hypoglycaemia in humans. (C) 136*P*

MCKENZIE J.D. *see* DEAN H.G., HETHERINGTON M.S., MCKENZIE J.D. & WINLOW W. Serotonin levels in brain and foot tissue of *Lymnaea* as measured by HPLC. (C) 76*P*

MCQUEEN D.S. *see* CAMPBELL D.B., EVRARD Yvonne, GORDON B.H. & MCQUEEN D.S. Influence of ganglioglomerular (sympathetic) nerves on responses of carotid chemoreceptors to almitrine in anaesthetized cats. (PC) 189*P*

MCSORLEY P. *see* GILMORE Ruth St. C., MCSORLEY P., SANDERSON Gwendolyn & WALLACE W.F.M. Interactions of noradrenaline, barium and the calcium antagonist TMB-8 on the smooth muscle of the rabbit isolated ear artery. (C) 99*P*

MAISEY E.A. *see* DOLLY J.O., MAISEY E.A., POULAIN B., TAUC L. & WADSWORTH J.D.F. Uptake of both light and heavy chains of botulinum neurotoxin by cholinergic neurones of *Aplysia* is mediated by the larger chain. (PC) 196*P*

MALENKA R.C. *see* CONNORS B.W., MALENKA R.C. & SILVA L.R. Two inhibitory postsynaptic potentials, and $GABA_A$ and $GABA_B$ receptor-mediated responses in neocortex of rat and cat. 443

MALLART A. *see* BOURRET C. & MALLART A. A single type of calcium channel in motor nerve endings isolated from the mouse. (PC) 197*P*

MANN G.E. & MUÑOZ M. Transport of cationic amino acids in the perfused rat exocrine pancreas: regulation by fasting, dietary protein, insulin and experimental diabetes. (C) 123*P*

MANSELL P.I. The effect of 48 h starvation on insulin sensitivity and glucose-induced thermogenesis in man. (C) 135*P*

MANTZ J. & THIERRY A.-M. Modulation by noradrenergic and dopaminergic ascending systems of the excitatory evoked responses to tail-pinch in the prefrontal cortex of the anaesthetized rat. (C) 67*P*

MARCHAL F. *see* CRANCE J.P., DUVIVIER C., GALLINA C., MARCHAL F. & PESLIN R. Estimation of the upper airway wall impedance in human infants. (C) 93*P*

MARDEN M. *see* BOHN B., KISTER J., MARDEN M. & POYART C. Absence of a Root effect in *Xenopus laevis* (XL) haemoglobin: studies in intact red cells and haemolysate. (PC) 224*P*

MARK Gregory P. *see* JACOBS Kimberle M., MARK Gregory P. & SCOTT Thomas R. Taste responses in the nucleus tractus solitarius of sodium-deprived rats. 393

MARSH N.A. *see* CEDRINI L., GATTULLO D., HYSLOP S., LOSANO G., MARSH N.A., PAGLIARO P., VACCA G. & VONO P. The acid–base effects of Gaboon Viper venom in the anaesthetized rat. (C) 97*P*

MARTHAN R., MARTIN C. & MIRONNEUA J. Dyhydropyridine-sensitive calcium channel current in isolated cells from human bronchial smooth muscle. (C) 83*P*

MARTIN C. *see* MARTHAN R., MARTIN C. & MIRONNEUA J. Dyhydropyridine-sensitive calcium channel current in isolated cells from human bronchial smooth muscle. (C) 83*P*

MARTIN D.J. *see* ARMSTRONG J.M., BARRAS M., LEFOURNIER C. & MARTIN D.J. The contribution of extracellular Ca^{2+} to carbachol- and K^+-induced contractions of guinea-pig taenia caecum *in vitro*. (PC) 211*P*

MARTINEAU J. *see* BARTHELÉMY C., BRUNEAU N., GARREAU B., LELORD G., MARTINEAU J. & ROUX S. Auditory evoked potential modifications in autistic children under DL-fenfluramine treatment. Relationship with behavioural and biochemical responsiveness. (PC) 183*P*

MARTINOYA C. *see* BLOCH S., JAEGER R., LEMEIGNAN M. & MARTINOYA C. Correlation between ocular saccades and head movements in walking pigeons. (PC) 173*P*

MARUYAMA Yoshio Agonist-induced changes in cell membrane capacitance and conductance in dialysed pancreatic acinar cells of rats. 299

MARY D.A.S.G. *see* DI LAVORE P., GATTULLO D., GUIOT C., LOSANO G., MARY D.A.S.G., VACCA G. & VONO P. Effect of tachycardia and constriction of left circumflex artery on coronary flow and pressure in anaesthetized dogs. 469

MATEJICEK M. *see* ALBE-FESSARD D., MATEJICEK M., MAVOUNGOU R. & SANDERSON P. Abnormal activity of substantia nigra reticulata neurones in rats treated with haloperidol. (C) 21*P*

MATTHEWS H.D. *see* FAIN G.L., LAMB T.D., MATTHEWS H.D. & MURPHY R.L.W. Cytoplasmic calcium concentration mediates light adaptation in cone photoreceptors isolated from the salamander retina. (C) 75*P*

MATTHEWS P.B.C. Is the F wave a valid indicator of the slowing of motor axons on cooling the human arm? (C) 31*P*

MAVOUNGOU R. *see* ALBE-FESSARD D., MATEJICEK M., MAVOUNGOU R. & SANDERSON P. Abnormal activity of substantia nigra reticulata neurones in rats treated with haloperidol. (C) 21*P*

MENINI Anna *see* CERVETTO Luigi, MENINI Anna, RISPOLI Giorgio & TORRE Vincent The modulation of the ionic selectivity of the light-sensitive current in isolated rods of the tiger salamander. 181

MEUNIER S. & PIERROT-DESEILLIGNY E. Time course of changes in presynaptic inhibition of Ia fibres during voluntary contraction in man. (C) 40*P*

MILLERET C. *see* BUISSERET P., GARY-BOBO E. & MILLERET C. Visuo-proprioceptive interactions in area 18 neurones of the anaesthetized cat. (C) 25*P*

MILLS C. *see* DRAKE-HOLLAND A.J., MILLS C., NOBLE M.I.M., PARKER S., PUGH S. & SEED W.A. Beat-by-beat measurement of human left ventricular mechanics during postural changes and post-extrasystolic potentiation. (C) 107*P*

MIOLAN J.P. & NIEL J.P. Involvement of cholinergic neurones in the permanent depolarization of the muscular cells of the lower oesophageal sphincter in the cat *in vitro*. (C) 138*P*

MIRONNEUA J. *see* MARTHAN R., MARTIN C. & MIRONNEUA J. Dyhydropyridine-sensitive calcium channel current in isolated cells from human bronchial smooth muscle. (C) 83*P*

MITCHELL D. *see* LABURN H.P., MITCHELL D., MITCHELL G. & SAFFY K. Effects of tracheostomy breathing on brain and body temperatures in hyperthermic sheep. 331

MITCHELL G. *see* LABURN H.P., MITCHELL D., MITCHELL G. & SAFFY K. Effects of tracheostomy breathing on brain and body temperatures in hyperthermic sheep. 331

MOLGO J. *see* ANGAUT-PETIT D., MOLGO J. & THESLEFF S. Presynaptic study of frog neuromuscular junction *in vitro* poisoned with botulinum A toxin. (C) 59*P*

MOLGO J., TABTI Nacira & THESLEFF S. Is there a presynaptic process, in addition to Ca^{2+} influx, which allows synchronization of transmitter release at the rodent neuromuscular junction ? (C) 62*P*

MOLGO J., PECOT-DECHAVASSINE M. & THESLEFF S. Effects of cadmium on quantal transmitter release and the ultrastructure of isolated frog neuromuscular junctions. (PC) 195*P*

MOMBOULI J.V. & TRICOCHE R. Inhibition of cholinergic endothelium-dependent relaxations in rat isolated aorta by retinoic acid. (C) 51*P*

MONGO K.G. *see* HARTZELL H.C., MONGO K.G., SCAMPS F. & VASSORT G. Sphingosine effects on the Ca current in frog cardiac myocytes. (C) 82*P*

MONOD H. *see* KHAN J.F., LE BOZEC S. & MONOD H. Determination of maximal maintenance time for an isometric contraction in man: effects of a second simultaneous contraction. (C) 48*P*

MONTARON M.F. *see* BOUYER J.J., BUSER P., DURAND C., MONTARON M.F. & ROUGEUL A. Electrocortical beta rhythms in the attentive cat: simultaneous involvement of two thalamic nuclei, medialis dorsalis and ventralis lateralis. (PC) 168*P*

MONTEAU R. *see* ERRCHIDI S., HILAIRE G. & MONTEAU R. Ventral pontine catecholaminergic influences on the respiratory rhythm: *in vitro* study on the newborn rat. (PC) 165*P*

MONTEYNE P. *see* BOTTEMANNE I., MONTEYNE P., OLIVIER E. & ROUCOUX A. Initial eye position influences saccade dynamics in man. (C) 142*P*

MONTEYNE P. *see* CROMMELINCK M., DELREUX V., LAMBIN S., MONTEYNE P. & SCHEPENS B. Extraretinal factors affecting the guidance of an arm movement in man. (PC) 167*P*

MOORE J.A. The axon diameter and conduction velocity of trigeminal motor axons in anaesthetized rats. (PC) 154*P*

MORA I. & PEROT C. Reciprocal Ia inhibition at the ankle joint revealed by stretching relaxed muscles in man. (PC) 153*P*

MOREL F. *see* BUTLEN D., MOREL F. & VADROT S. Characterization of insulin receptors along the rat nephron. (C) 132*P*

MORIN-SUBUN M.P. *see* BOUDINOT E., DENAVIT-SAUBIÉ M., FOURNIE-ZALUSKI M.C., MORIN-SUBUN M.P. & ROQUES B.P. Respiratory consequences in cats and rats of inhibition of enkephalin-degrading enzymes by kelatorphan. (PC) 169*P*

MORRIS R. Effects of excitatory amino acid antagonists on responses evoked by myelinated primary afferent stimulation, in neurones of the dorsal horn of the neonatal rat spinal cord *in vitro*. (C) 11*P*

Moss Richard L. *see* GREASER Marion L., Moss Richard L. & REISER Peter J. Variations in contractile properties of rabbit single muscle fibres in relation to troponin T isoforms and myosin light chains. 85

MOUNIER Y. *see* FALEMPIN M., HOLY X., LECLERCQ T., MOUNIER Y. & STEVENS L. Contractile properties of rat soleus muscle after two weeks' hindlimb suspension: studies on *in situ* muscle and isolated skinned fibres. (C) 45*P*

MOYNIHAN J.B. Expansion of the trapped blood volume in soleus muscles of rats with chronic administration of dipyridamole. (PC) 186*P*

MUÑOZ M. *see* MANN G.E. & MUÑOZ M. Transport of cationic amino acids in the perfused rat exocrine pancreas: regulation by fasting, dietary protein, insulin and experimental diabetes. (C) 123*P*

MURPHY K.P.S.J. *see* BINDMAN Lynn J. & MURPHY K.P.S.J. NMDA-receptors participate in the maintenance of long-term potentiation of synaptic transmission in slices of rat neocortex *in vitro* (PC) 176*P*

MURPHY R.L.W. *see* FAIN G.L., LAMB T.D., MATTHEWS H.D. & MURPHY R.L.W. Cytoplasmic calcium concentration mediates light adaptation in cone photoreceptors isolated from the salamander retina. (C) 75*P*

MUZET A. *see* DI NISI J., EHRHART J., LIBERT J.P. & MUZET A. Influence of a benzodiazepine hypnotic on heart rate and respiratory rate in man during noise-disturbed nights. (PC) 181*P*

NADEAU R. *see* BOUDREAU G., DE CHAMPLAIN J., NADEAU R., PÉRONNET F. & YAMAGUCHI N. Modulation of noradrenaline release from cardiac sympathetic nerves during left stellate ganglion stimulation in the anaesthetized dog: role of circulating and tissue adrenaline. (PC) 184*P*

NADEAU R. *see* BÉLIVEAU L., BRISSON G., NADEAU R., PÉRONNET F. & TRUDEAU F. Plasma catecholamines (CA) in the aorta and the adrenal vein in dogs: effect of work load and work duration. (PC) 193*P*

NARGEOT J. *see* CHARNET P., NARGEOT J., POTREAU D., RAYMOND G. & RICHARD S. Effects of Sr^{2+}, Ba^{2+} and Mn^{2+} ions on the activity of the frog atrial Na^+–Ca^{2+} exchange mechanism. (PC) 204*P*

NERBONNE J. *see* CHARNET P., NERBONNE J. & RICHARD S. The Ca^{2+} current inactivation in isolated rat ventricular cells: dependence on membrane potential and frequency of activation. (C) 80*P*

NEYTON J. *see* GIAUME C., NEYTON J., RANDRIAMAMPITA C. & TRAUTMANN A. Protein kinase C could mediate the muscarinic modulation of gap junctions in rat lachrymal glands. (C) 60*P*

NGUYEN LEGROS J. *see* AMSALLEM B., CESARO P., JOULIN Y., NGUYEN LEGROS J. & POLLIN B. Possible role of the nucleus reticularis thalami (nRT) in the control of interactions between specific and non-specific thalamic nuclei in the anaesthetized rat. (PC) 171*P*

NICHOLS C.G. *see* ALLEN D.G., NICHOLS C.G. & SMITH G.L. The effects of changes in muscle length during diastole on the calcium transient in ferret ventricular muscle. 359

NICOLAIDIS S. *see* ELGHISSASSI M., JEULIN A.-C. & NICOLAIDIS S. Neuronal co-action of vasopressin and of angiotensin on the drinking responses of the rat. (C) 146*P*

NICOLAÏDIS S. *see* DE SAINT-HILAIRE-KAFI S., GIBBS J. & NICOLAÏDIS S. Peripheral administration of bombesin increases duration of sleep in rats. (PC) 180*P*

NIEL J.P. *see* MIOLAN J.P. & NIEL J.P. Involvement of cholinergic neurones in the permanent depolarization of the muscular cells of the lower oesophageal sphincter in the cat *in vitro*. (C) 138*P*

NISTRI A. *see* GALLI A., NISTRI A. & SIVILOTTI Lucia Binding distribution and electrophysiological responses of glycine receptors in central visual pathways of the isolated frog brain. (C) 14*P*

NISTRI A. *see* LACEY G. & NISTRI A. TRH enhances excitatory synaptic transmission on frog motoneurones *in vitro*. (PC) 151*P*

NOBLE M.I.M. *see* DRAKE-HOLLAND A.J., MILLS C., NOBLE M.I.M., PARKER S., PUGH S. & SEED W.A. Beat-by-beat measurement of human left ventricular mechanics during postural changes and post-extrasystolic potentiation. (C) 107*P*

NOGUERÓN Isabel *see* ALVAREZ-LEEFMANS F.J., GAMIÑO S.M., GIRALDEZ F. & NOGUERÓN Isabel Intracellular chloride regulation in amphibian dorsal root ganglion neurones studied with ion-selective microelectrodes. 225

NOIREAUD J. *see* BAUDET S., LEOTY C. & NOIREAUD J. The effect of hypertrophy on the intracellular calcium activity in isolated right ventricular tissue from ferret. (PC) 209*P*

NOMMAY D. *see* GAUTHIER G.M., NOMMAY D. & VERCHER J.L. Ocular muscle proprioception and visual localization in man. (C) 24*P*

NONNOTTE G. & TRUCHOT J.P. Transient changes in extracellular acid–base balance and ionic regulation after transfer from sea water to fresh water in the euryhaline fish, *Platichthys flesus*. (PC) 223*P*

NORTH R.A. *see* LACEY M.G. & NORTH R.A. An inward current activated by hyperpolarization (I_h) in rat substantia nigra zona compacta neurones *in vitro*. (C) 18*P*

NORTH R.A., SURPRENANT A. & TATSUMI H. Potassium conductance increase and calcium conductance decrease both evoked by α_2-adrenaline and δ-opioid receptor agonists in the same submucous plexus neurones isolated from the guinea-pig. (PC) 179*P*

NORTH R.A. *see* CHERUBINI E., NORTH R.A. & WILLIAMS J.T. Synaptic potentials in rat locus coeruleus neurones. 431

NYE P.C.G., PATERSON D.J. & PEERS C. The effect of hypoxia, hypercapnia, almitrine and potassium on the pattern of discharge of carotid body chemoreceptors in the anaesthetized cat. (C) 110*P*

NZEGWU Helen *see* LEVIN R.J., NZEGWU Helen, PEREIRA M. & YOUNG A. Malnourishment enhances the *in vitro* electrogenic secretory response to *E. coli* STa enterotoxin in rat small and large intestine. (C) 56*P*

ODDOU-CHIRPAZ M.F. *see* FLORE P., ODDOU-CHIRPAZ M.F., QUIRION A. & THERMINARIAS A. Effects of cold exposure on catecholamine and metabolic changes obtained during a short exhaustive exercise in man. (PC) 191*P*

OGDEN D.C. *see* CAPIOD T., OGDEN D.C., TRENTHAM D.R. & WALKER J.W. Activation of membrane conductance in isolated guinea-pig hepatocytes by photochemically generated intracellular inositol 1,4,5-trisphosphate or free calcium ions. (C) 124*P*

OHZAWA I. *see* FREEMAN R.D. & OHZAWA I. Binocular interaction of cells in the visual cortex of the cat is unaffected by large interocular differences in contrast. (C) 26*P*

OLIVER C. *see* CONTE-DEVOLX B., JOANNY P., OLIVER C. & STEINBERG J. Effects of catecholamines on the release of immunoreactive corticotrophin-releasing factor (IR-CRF) by rat hypothalamic slices *in vitro*. (PC) 200*P*

OLIVIER E. *see* BOTTEMANNE I., MONTEYNE P., OLIVIER E. & ROUCOUX A. Initial eye position influences saccade dynamics in man. (C) 142*P*

ONYEZILI N.I. *see* ABAYASEKARA D.R.E., ONYEZILI N.I. & WHITEHOUSE B.J. Attenuation of ACTH-induced hypertension in the rat by oral administration of neomycin. (PC) 185*P*

ORCHARD C.H. *see* BOYETT M.R., MCCALL E. & ORCHARD C.H. Effect of acidosis on mechanical restitution and the interval–force relation of isolated ferret papillary muscles. (PC) 218*P*

O'REGAN R.G. *see* ENNIS Sara, KENNEDY Miriam & O'REGAN R.G. Ultrastructural examination of type I cell mitochondria in carotid bodies removed following administration of almitrine bismesylate in anaesthetized cats. (PC) 187*P*

ORSAL D. *see* CABELGUEN J.M., ORSAL D. & PERRET C. Hindlimb locomotor movements elicited by functional electrical stimulation in the anaesthetized cat. (PC) 152*P*

PADFIELD P.J. *see* CASE R.M., HOWORTH A.J. & PADFIELD P.J. Effects of acetylcholine, isoprenaline and forskolin on electrolyte and protein composition of rabbit mandibular saliva. 411

PAGLIARO P. *see* CEDRINI L., GATTULLO D., HYSLOP S., LOSANO G., MARSH N.A., PAGLIARO P., VACCA G. & VONO P. The acid–base effects of Gaboon Viper venom in the anaesthetized rat. (C) 97*P*

PALACIOS A. & VARELA F. Colour vision in the pigeon: an anomaloscope experiment. (C) 23*P*

PAPE P.C. *see* BAYLOR S.M. & PAPE P.C. Measurement of myoglobin diffusivity in the myoplasm of frog skeletal muscle fibres. 247

PARENTI M. *see* DIFRANCESCO D., DUCOURET P., PARENTI M. & TROMBA C. Involvement of adenylate-cyclase in the muscarinic-mediated inhibition of i_f in rabbit SA node. (C) 86*P*

PARKER S. *see* DRAKE-HOLLAND A.J., MILLS C., NOBLE M.I.M., PARKER S., PUGH S. & SEED W.A. Beat-by-beat measurement of human left ventricular mechanics during postural changes and post-extrasystolic potentiation. (C) 107*P*

PARKS Christine M. *see* ANDERSON Debra F., FABER J. Job & PARKS Christine M. Extraplacental transfer of water in the sheep. 75

PARQUET M. *see* KHALLOU J., LUTTON C., PARQUET M., ROITTOT M. & VERNEAU C. Biodynamics of cholesterol and bile acids in cholelithiasic hamsters: effect of amylomaize starch. (C) 55*P*

PATERSON D.J. *see* NYE P.C.G., PATERSON D.J. & PEERS C. The effect of hypoxia, hypercapnia, almitrine and potassium on the pattern of discharge of carotid body chemoreceptors in the anaesthetized cat. (C) 110*P*

PATON J.F.R. *see* BRADLEY D.J., PATON J.F.R. & SPYER K.M. Where are the neurones that mediate the fastigial pressor response in the rat? (C) 112*P*

PATON J.F.R. *see* CLARK I.M., GELBEY M.P. & PATON J.F.R. Extracellular recordings from sympathetic preganglionic neurones projecting to the caudal lumbar sympathetic chain in the anaesthetized cat. (PC) 157*P*

PAUPARDIN-TRITSCH D. *see* GERSCHENFELD H.M. & PAUPARDIN-TRITSCH D. Serotonin induces a slow K current due to the activation of cAMP-dependent protein kinase in snail neurones. (C) 79*P*

PÉCOT-DECHAVASSINE M. *see* DIAZ J. & PÉCOT-DECHAVASSINE M. Induction of nerve sprouting activity by a piece of peripheral nerve placed on the surface of a normally innervated frog muscle. (C) 61*P*

PECOT-DECHAVASSINE M. *see* MOLGO J., PECOT-DECHAVASSINE M. & THESLEFF S. Effects of cadmium on quantal transmitter release and the ultrastructure of isolated frog neuromuscular junctions. (PC) 195*P*

PEERS C. *see* NYE P.C.G., PATERSON D.J. & PEERS C. The effect of hypoxia, hypercapnia, almitrine and potassium on the pattern of discharge of carotid body chemoreceptors in the anaesthetized cat. (C) 110*P*

PELLERIN D. *see* ARHAN P., DOYE C., FAVERDIN C., FEKETE C., PELLERIN D. & RICOUR C. Disappearance of the recto-anal inhibitory reflex after enterostomy and its reappearance after closure in children. (C) 140*P*

PELLIONISZ A. *see* LESTIENNE F., LIVERNEAUX Ph. & PELLIONISZ A. Morpho-anatomy of sub-occipital muscles in monkey: a tensor model of the musculoskeletal head–neck system. (D) 2*P*

PEQUEUX A. *see* LIGNON J.M. & PEQUEUX A. Anionic selectivity in the isolated gill lamina cuticle of the crayfish. (C) 121*P*

PEREIRA M. *see* LEVIN R.J., NZEGWU Helen, PEREIRA M. & YOUNG A. Malnourishment enhances the *in vitro* electrogenic secretory response to *E. coli* STa enterotoxin in rat small and large intestine. (C) 56*P*

PERKINS M.N. *see* BETTANEY J., DRAY A., FORSTER P. & PERKINS M.N. Calcium and the effects of capsaicin on afferent fibres in a neonatal rat isolated spinal cord–tail preparation. (C) 37*P*

PÉRONNET F. *see* BOUDREAU G., DE CHAMPLAIN J., NADEAU R., PÉRONNET F. & YAMAGUCHI N. Modulation of noradrenaline release from cardiac sympathetic nerves during left stellate ganglion stimulation in the anaesthetized dog: role of circulating and tissue adrenaline. (PC) 184*P*

PÉRONNET F. *see* BÉLIVEAU L., BRISSON G., NADEAU R., PÉRONNET F. & TRUDEAU F. Plasma catecholamines (CA) in the aorta and the adrenal vein in dogs: effect of work load and work duration. (PC) 192*P*

PEROT C. *see* MORA I. & PEROT C. Reciprocal Ia inhibition at the ankle joint revealed by stretching relaxed muscles in man. (PC) 153*P*

PERRET C. *see* CABELGUEN J.M., ORSAL D. & PERRET C. Hindlimb locomotor movements elicited by functional electrical stimulation in the anaesthetized cat. (PC) 152*P*

PERSEGOL L. *see* FERNANDEZ C., JORDAN M., PERSEGOL L. & VIALA D. Evidence for central entrainment of the medullary respiratory pattern by the locomotor pattern in the decorticate rabbit. (PC) 234*P*

PESLIN R. *see* CRANCE J.P., DUVIVIER C., GALLINA C., MARCHAL F. & PESLIN R. Estimation of the upper airway wall impedance in human infants. (C) 93*P*

PETIT J. *see* EMONET-DENAND F., FILIPPI G.M., HUNT C.C., LAPORTE Y. & PETIT J. Changes in resistance to stretch elicited by the contraction of slow and fast motor units in cat peroneus longus muscle. (C) 42*P*

PIERROT-DESEILLIGNY E. *see* MEUNIER S. & PIERROT-DESEILLIGNY E. Time course of changes in presynaptic inhibition of Ia fibres during voluntary contraction in man. (C) 40*P*

PLANT T. *see* CODY F.W.J. & PLANT T. Reciprocal inhibition between human wrist flexors and extensors studied using muscle vibration. (PC) 149*P*

POINTER J.S. *see* HESS R.F. & POINTER J.S. How good is one at discriminating blur in non-foveal regions of the visual field? (C) 27*P*

POLLIN B. *see* AZERAD J., FUENTES F., LENDAIS I., LIMOGE A. & POLLIN B. Methods for selective tooth pulp stimulation in acute and chronic preparations in rats. (D) 3*P*

POLLIN B. *see* AZERAD J., DECORTE L., POLLIN B. & THIESSON D. Histochemical and immunocytochemical study of primary afferent neurones innervating the dental pulp in the rat and in the cat. (PC) 163*P*

POLLIN B. *see* AMSALLEM B., CESARO P., JOULIN Y., NGUYEN LEGROS J. & POLLIN B. Possible role of the nucleus reticularis thalami (nRT) in the control of interactions between specific and non-specific thalamic nuclei in the anaesthetized rat. (PC) 171*P*

POOLE-WILSON P.A. *see* HARDING S.E., JONES S.M. & POOLE-WILSON P.A. Contractile responses of myocytes isolated from human atria to isoprenaline, calcium, forskolin and histamine. (PC) 219*P*

POREMBSKA S. *see* CROUZOULON G., DUPUIS Y., FOURNIER P., POREMBSKA S., RAZANAMANIRAKA L. & TARDIVEL S. Involvement of protein kinase C in phosphorylation of alkaline phosphatase from microvillar membranes of the intestine of adult rat. (C) 115*P*

POTREAU D. *see* CHARNET P., NARGEOT J., POTREAU D., RAYMOND G. & RICHARD S. Effects of Sr^{2+}, Ba^{2+} and Mn^{2+} ions on the activity of the frog atrial Na^{+}–Ca^{2+} exchange mechanism. (PC) 204*P*

POTREAU D. *see* GOURDON I., POTREAU D. & RAYMOND G. How do β-adrenoceptors modulate the delayed outward current in isolated frog atrial muscle? (PC) 206*P*

POULAIN B. *see* DOLLY J.O., MAISEY E.A., POULAIN B., TAUC L. & WADSWORTH J.D.F. Uptake of both light and heavy chains of botulinum neurotoxin by cholinergic neurones of *Aplysia* is mediated by the larger chain. (PC) 196*P*

POULAIN B. *see* BOUX G., FOSSIER P., POULAIN B. & TAUC L. Modulation of acetylcholine release by autoreceptors at a central synapse of *Aplysia*: a pharmacological and electrophysiological approach. (PC) 198*P*

POULAIN P. *see* CARETTE B. & POULAIN P. Vasopressin acts on low-threshold Ca^{2+} spike neurones located near the hypothalmic paraventricular nucleus in guinea-pig brain slices. (PC) 177*P*

POWELL T., TWIST V.W. & YAMAOKA K. Intracellular Ca transients in single guinea-pig ventricular myocytes monitored using indo-1 fluorescence. (C) 105*P*

POYART C. *see* BOHN B., KISTER J., MARDEN M. & POYART C. Absence of a Root effect in *Xenopus laevis* (XL) haemoglobin: studies in intact red cells and haemolysate. (PC) 224*P*

PRELOT M. *see* DO THANH X., GIRAULT A. & PRELOT M. Induction of renal alkaline phosphatase by 24,25-dihydroxycholecalciferol in hypophysectomized rat. (C) 133*P*

PRZYBYSLAWSKI J. *see* GARY-BOBO E. & PRZYBYSLAWSKI J. Orientation selectivity and contrast sensitivity of neurones in area 17 of dark-reared cats after several years of recovery. (PC) 174*P*

PUGH S. *see* DRAKE-HOLLAND A.J., MILLS C., NOBLE M.I.M., PARKER S., PUGH S. & SEED W.A. Beat-by-beat measurement of human left ventricular mechanics during postural changes and post-extrasystolic potentiation. (C) 107*P*

QUASTEL D.M.J. & SAINT D.A. Transmitter release at mouse motor nerve terminals mediated by temporary accumulation of intracellular barium. 55

QUIRION A. *see* FLORE P., ODDOU-CHIRPAZ M.F., QUIRION A. & THERMINARIAS A. Effects of cold exposure on catecholamine and metabolic changes obtained during a short exhaustive exercise in man. (PC) 191*P*

RACKÉ K. *see* HERING Barbara & RACKÉ K. Characterization of ^{86}rubidium outflow from isolated rat neurohypophysis: evidence for calcium-activated potassium channels on neurosecretory axons and/or terminals. (PC) 231*P*

RAJERISON R.M. *see* FAURE M. & RAJERISON R.M. Effects of NH_4^+ on cell Na^+ and K^+ contents of medullary thick ascending limb (MAL) isolated from collagenase-treated rat kidney. (C) 119*P*

RAKOTONIRINA A. & SOUSTRE H. β-Adrenergic increase in the Na–Ca exchange in frog isolated atrial fibres. (PC) 205*P*

RAMAGE A.G. *see* IZZO P.N., JORDAN D. & RAMAGE A.G. Anatomical and pharmacological evidence supporting the involvement of serotonin in the central control of cardiac vagal motoneurones in the anaesthetized cat. (C) 19*P*

RANDRIAMAMPITA C. *see* GIAUME C., NEYTON J., RANDRIAMAMPITA C. & TRAUTMANN A. Protein kinase C could mediate the muscarinic modulation of gap junctions in rat lachrymal glands. (C) 60*P*

RATHAT C. *see* KEROMES A., LE TRONG J.L., RATHAT C. & RICHALET J.P. Hypoxia-induced decrease in chronotropic response of man to isoprenaline infusion. (C) 100*P*

RAYMOND G. *see* COGNARD C., RAYMOND G. & RIVET M. On the role of calcium current in the development of contraction of patch-clamped rat skeletal muscle cells in culture. (C) 104*P*

RAYMOND G. *see* CHARNET P., NARGEOT J., POTREAU D., RAYMOND G. & RICHARD S. Effects of Sr^{2+}, Ba^{2+} and Mn^{2+} ions on the activity of the frog atrial Na^+–Ca^{2+} exchange mechanism. (PC) 204*P*

RAYMOND G. *see* GOURDON I., POTREAU D. & RAYMOND G. How do β-adrenoceptors modulate the delayed outward current in isolated frog atrial muscle? (PC) 206*P*

RAZANAMANIRAKA L. *see* CROUZOULON G., DUPUIS Y., FOURNIER P., POREMBSKA S., RAZANAMANIRAKA L. & TARDIVEL S. Involvement of protein kinase C in phosphorylation of alkaline phosphatase from microvillar membranes of the intestine of adult rat. (C) 115*P*

REISER Peter J. *see* GREASER Marion L., MOSS Richard L. & REISER Peter J. Variations in contractile properties of rabbit single muscle fibres in relation to troponin T isoforms and myosin light chains. 85

REMMERS J.E. *see* BIANCHI A.L., GRELOT L., ISCOE S. & REMMERS J.E. Respiratory neurones in the ventrolateral aspects of the rostral medulla oblongata in the decerebrate cat: an intracellular study. (C) 109*P*

RENNIE M.J. *see* EGAN Christine & RENNIE M.J. Effect of ultra-high-temperature treatment on rat jejunal absorption of calcium from milk micelles. (PC) 220*P*

RENNIE M.J. *see* HUNDAL H.S., LORRABAQUIO-SANCHEZ D. & RENNIE M.J. Effects of streptozotocin-induced diabetes on glutamine transport in perfused rat skeletal muscle. (PC) 221*P*

REPRESA A. *see* BEN-ARI Y., GHO M., REPRESA A. & ROBAIN O. Effects of the destruction of the mossy fibres on the CA3 pyramidal neurones of rat hippocampal slices. (C) 34*P*

RICHALET J.P. *see* KEROMES A., LE TRONG J.L., RATHAT C. & RICHALET J.P. Hypoxia-induced decrease in chronotropic response of man to isoprenaline infusion. (C) 100*P*

RICHALET J.P. *see* ATLAN G., BOUISSOU P., DUBRAY C., GALEN F.X., KEROMES A., LARTIGUE M. & RICHALET J.P. Effect of β-adrenergic blockade on atrial natriuretic peptide, plasma renin activity and aldosterone during physical exercise in man. (PC) 193*P*

RICHARD S. *see* CHARNET P., NERBONNE J. & RICHARD S. The Ca^{2+} current inactivation in isolated rat ventricular cells: dependence on membrane potential and frequency of activation. (C) 80*P*

RICHARD S. *see* CHARNET P., NARGEOT J., POTREAU D., RAYMOND G. & RICHARD S. Effects of Sr^{2+}, Ba^{2+} and Mn^{2+} ions on the activity of the frog atrial Na^+–Ca^{2+} exchange mechanism. (PC) 204*P*

RICOUR C. *see* ARHAN P., DOYE C., FAVERDIN C., FEKETE C., PELLERIN D. & RICOUR C. Disappearance of the recto-anal inhibitory reflex after enterostomy and its reappearance after closure in children. (C) 140*P*

RIDDELL J.S. *see* FERN R., HARRISON P.J. & RIDDELL J.S. An ascending projection from group II-activated lumbosacral interneurones to the middle lumbar segments of the spinal cord in anaesthetized cat. (PC) 156*P*

RIDDELL P.M. *see* FOWLER M.S., RIDDELL P.M. & STEIN J.F. Biocular fixation and visual direction sense in backward readers. (C) 74*P*

RIEGER F. *see* BOURNAUD R., GARCIA L., RIEGER F. & SHIMAHARA T. Slow Ca current in myotubes from the mutant mice 'Muscular Dysgenesis'. (PC) 214*P*

RISPOLI Giorgio *see* CERVETTO Luigi, MENINI Anna, RISPOLI Giorgio & TORRE Vincent The modulation of the ionic selectivity of the light-sensitive current in isolated rods of the tiger salamander. 181

RITTER J.M. *see* BENJAMIN N., COCKCROFT J.R., COLLIER J.G., RITTER J.M. & WEBB D.J. The effect of enalaprilat on responses to vasoactive peptides in resistance vessels of the human forearm. (C) 101*P*

RITTER J.M. *see* BARROW S.E., COCKCROFT J.R., DOKTOR H.S. & RITTER J.M. The effect of intravenous aspirin on excretion of metabolites of prostacyclin and thromboxane in man. (C) 134*P*

RIVET M. *see* COGNARD C., RAYMOND G. & RIVET M. On the role of calcium current in the development of contraction of patch-clamped rat skeletal muscle cells in culture. (C) 104*P*

ROBAIN O. *see* BEN-ARI Y., GHO M., REPRESA A. & ROBAIN O. Effects of the destruction of the mossy fibres on the CA3 pyramidal neurones of rat hippocampal slices. (C) 34*P*

ROBINSON P.P. The characteristics and regional distribution of afferent fibres in the chorda tympani of the cat. 345

RODRIGO Glenn C. The dependence of the calcium paradox in isolated guinea-pig ventricular myocytes on the membrane potential during the calcium-depletion phase. (C) 103*P*

ROISIN M.P. *see* ANIKSZTEJN L., CHARRIAUT-MARLANGUE C. & ROISIN M.P. Release of proteins during long-term potentiation in the hippocampus of the anaesthetized rat. (C) 20*P*

ROITTOT M. *see* KHALLOU J., LUTTON C., PARQUET M., ROITTOT M. & VERNEAU C. Biodynamics of cholesterol and bile acids in cholelithiasic hamsters: effect of amylomaize starch. (C) 55*P*

ROKYTA R. *see* BENES V., DRUGA R. & ROKYTA R. The thalamocaudate projections in the macaque monkey: an HRP study. (PC) 170*P*

ROMAIGUÈRE P. & VÉDEL J.-P. Variability of motor unit recruitment threshold in man. (PC) 160*P*

ROQUES B.P. *see* BOUDINOT E., DENAVIT-SAUBIÉ M., FOURNIE-ZALUSKI M.C., MORIN-SURUN M.P. & ROQUES B.P. Respiratory consequences in cats and rats of inhibition of enkephalin-degrading enzymes by kelatorphan. (PC) 169*P*

ROSENBERG J.R. *see* AMJAD A.M., BREEZE P. & ROSENBERG J.R. The application of partial phase to the analysis of the association between spike trains. (D) 5*P*

ROSTAIN J.C. *see* BLANC F., FORNI C., GARDETTE-CHAUFFOUR M.C. & ROSTAIN J.C. Effects of high pressure of various gaseous breathing mixtures on striatal dopamine level measured *in vivo* by differential pulse voltammetry in the rat. (C) 96*P*

ROUCOUX A. *see* BOTTEMANNE I., MONTEYNE P., OLIVIER E. & ROUCOUX A. Initial eye position influences saccade dynamics in man. (C) 142*P*

ROUGEUL A. *see* BOUYER J.J., BUSER P., DURAND C., MONTARON M.F. & ROUGEUL A. Electrocortical beta rhythms in the attentive cat: simultaneous involvement of two thalamic nuclei, medialis dorsalis and ventralis lateralis. (PC) 168*P*

ROUSSEAU J.P. *see* DALAL A., LEEK B.F. & ROUSSEAU J.P. Gastric centripetal vagal unitary activity in conscious sheep. (C) 137*P*

ROUX S. *see* BARTHELÉMY C., BRUNEAU N., GARREAU B., LELORD G., MARTINEAU J. & ROUX S. Auditory evoked potential modifications in autistic children under DL-fenfluramine treatment. Relationship with behavioural and biochemical responsiveness. (PC) 183*P*

ROWLERSON Anthea Fibre types in the rat fourth deep lumbrical muscle during post-natal development. (C) 68*P*

ROY M. *see* BECQUEMIN M.H., BOUCHIKHI A., ROY M. & TEILLAC A. Lung modelling: influence of ventilatory parameters on total particle deposition in the normal human respiratory tract. (PC) 188*P*

RUSSELL J. *see* BENFIELD J., RUSSELL J. & SEDGWICK E.M. The H-reflex and D1 inhibition during spinal shock in man. (PC) 155*P*

SAED H.H. *see* BANKS R.W., BARKER D., SAED H.H. & STACEY M.J. Innervation of muscle spindles in rat deep masseter. (PC) 161*P*

SAFFY K. *see* LABURN H.P., MITCHELL D., MITCHELL G. & SAFFY K. Effects of tracheostomy breathing on brain and body temperatures in hyperthermic sheep. 331

SAINSBURY R. *see* BIRMINGHAM A.T., MACDONALD I.A. & SAINSBURY R. Food intake, orthostatic tolerance and finger tremor in healthy elderly women. (C) 102*P*

SAINT D.A. *see* QUASTEL D.M.J. & SAINT D.A. Transmitter release at mouse motor nerve terminals mediated by temporary accumulation of intracellular barium. 55

SANDERSON Gwendolyn *see* GILMORE Ruth St. C., McSORLEY P., SANDERSON Gwendolyn & WALLACE W.F.M. Interactions of noradrenaline, barium and the calcium antagonist TMB-8 on the smooth muscle of the rabbit isolated ear artery. (C) 99*P*

SANDERSON P. *see* ALBE-FESSARD D., MATEJICEK M., MAVOUNGOU R. & SANDERSON P. Abnormal activity of substantia nigra reticulata neurones in rats treated with haloperidol. (C) 21*P*

SARGEANT A.J. Optimum cycle frequencies in human movement. (C) 49*P*

SAUVIAT M.P. *see* BARBIN D. & SAUVIAT M.P. Effects of Bistramide A on transmembrane currents in isolated voltage-clamped cut-end frog skeletal muscle. (PC) 215*P*

SAVINEAU J.P. Isolated skinned fibres from rat uterine smooth muscle have a functional Ca-store but do not contract to caffeine. (PC) 212*P*

SCAMPS F. *see* HARTZELL H.C., MONGO K.G., SCAMPS F. & VASSORT G. Sphingosine effects on the Ca current in frog cardiac myocytes. (C) 82*P*

SCHEPENS B. *see* CROMMELINCK M., DELREUX V., LAMBIN S., MONTEYNE P. & SCHEPENS B. Extraretinal factors affecting the guidance of an arm movement in man. (PC) 167*P*

SCHIERECK P. *see* DE BEER E.L., CROWE A., GRUNDEMAN R.L.F., SCHIERECK P. & VEENENDAAL A. Can passive lengthening of the sarcomeres explain the observed force beyond overlap in isolated skinned gracilis muscle of the rabbit? (C) 46*P*

SCHIERECK P. *see* BRUENS M., DE BEER E., SCHIERECK P., STOKHOF A., VAN HESSEN M. & WESENHAGEN H. The effect of the atrial contraction on the inotropic state of the left ventricle in the anaesthetized closed-chest dog. (C) 106*P*

SCHLATTER P.J. A method for the production of selectively silanized multi-barrelled glass microelectrodes. (D) 4*P*

SCHLUE Wolf-R. *see* KETTENMANN Helmut & SCHLUE Wolf-R. Intracellular pH regulation in cultured mouse oligodendrocytes. 147

SCOTT J.J.A. *see* BARKER D., BERRY R.B. & SCOTT J.J.A. Recovery of cat muscle spindles following immediate or delayed repair of the severed muscle nerve. (C) 71*P*

SCOTT Thomas R. *see* JACOBS Kimberle M., MARK Gregory P. & SCOTT Thomas R. Taste responses in the nucleus tractus solitarius of sodium-deprived rats. 393

SÉBERT P. *see* BARTHÉLÉMY L., SÉBERT P. & SIMON B. Opposite effects of hydrostatic pressure (HP) and water nitrogen partial pressure (P_{wN_2} 71 ATA) on eel oxygen consumption. (C) 95*P*

SEDGWICK E.M. *see* BENFIELD J., RUSSELL J. & SEDGWICK E.M. The H-reflex and D1 inhibition during spinal shock in man. (PC) 155*P*

SEED W.A. *see* DRAKE-HOLLAND A.J., MILLS C., NOBLE M.I.M., PARKER S., PUGH S. & SEED W.A. Beat-by-beat measurement of human left ventricular mechanics during postural changes and post-extrasystolic potentiation. (C) 107*P*

SERRURIER B. *see* FAVIER R., GUEZENNEC C.Y., LIENHARD F., SERRURIER B. & TUSSEAU M.H. Influence of suspension hypokinesia on rat muscle NADH. (C) 44*P*

SHIMAHARA T. *see* BOURNAUD R., GARCIA L., RIEGER F. & SHIMAHARA T. Slow Ca current in myotubes from the mutant mice 'Muscular Dysgenesis'. (PC) 214*P*

SHRIER Alvin *see* FISCHMEISTER Rudolphe & SHRIER Alvin Interactive effects of isoprenaline, forskolin and acetylcholine on calcium current in single frog ventricular cells. (C) 88*P*

SIGVARDT Karen A. *see* ALFORD Simon, SIGVARDT Karen A. & WILLIAMS Thelma L. Voltage-dependent conductance activated by excitatory transmission in neurones of the motor system of the lamprey *in vitro*. (C) 87*P*

SILVA L.R. *see* CONNORS B.W., MALENKA R.C. & SILVA L.R. Two inhibitory postsynaptic potentials, and $GABA_A$ and $GABA_B$ receptor-mediated responses in neocortex of rat and cat. 443

SIM J.A. *see* CHERUBINI E. & SIM J.A. Action of zinc on Ca^{2+}-dependent currents in rat hippocampal neurones *in vitro*. (C) 85*P*

SIMMONS N.L. *see* GRIFFITHS Nina M. & SIMMONS N.L. Characterization of [3-iodotyrosyl ^{125}I]vasoactive intestinal peptide binding to feline renal plasma membranes *in vitro*. (C) 118*P*

SIMON B. *see* BARTHÉLÉMY L., SÉBERT P. & SIMON B. Opposite effects of hydrostatic pressure (HP) and water nitrogen partial pressure (P_{wN_2} 71 ATA) on eel oxygen consumption. (C) 95*P*

SIMONET S. & TRICOCHE R. Differences in sensitivity of sheep coronary arteries to 5-hydroxytryptamine after removal of endothelial cells *in vitro*. (C) 52*P*

SINCLAIR J.D. *see* HOUSLEY Gary D. & SINCLAIR J.D. Localization by kainic acid lesions of neurones transmitting the carotid chemoreceptor stimulus for respiration in rat. 99

SIVILOTTI Lucia *see* GALLI A., NISTRI A. & SIVILOTTI Lucia Binding distribution and electrophysiological responses of glycine receptors in central visual pathways of the isolated frog brain. (C) 14*P*

SMITH Angela *see* ILES J.F. & SMITH Angela Excitation of quadriceps motoneurones from the motor cortex in man. (C) 147*P*

SMITH G.L. *see* ALLEN D.G., NICHOLS C.G. & SMITH G.L. The effects of changes in muscle length during diastole on the calcium transient in ferret ventricular muscle. 359

SMITH I.C.H. *see* BRAY Milena & SMITH I.C.H. Responses of the isolated human vas deferens to direct and indirect electrical stimulation. (C) 53*P*

SOLTESZ I. *see* CRUNELLI V., HABY M., JASSIK-GERSCHENFELD Dora, LERESCHE Nathalie & SOLTESZ I. NMDA receptors and rhythmic membrane potential oscillations in rat and cat thalamic projection cells *in vitro*. (C) 12*P*

SOUSTRE H. *see* RAKOTONIRINA A. & SOUSTRE H. β-Adrenergic increase in the Na–Ca exchange in frog isolated atrial fibres. (PC) 205*P*

SPERELAKIS N. *see* BKAILY G., CHAHINE M., SPERELAKIS N. & YAMAMOTO T. Taurine increases one type of slow Na^+ and Ca^{2+} current in embryonic heart cells. (C) 91*P*

SPYER K.M. *see* BRADLEY D.J., PATON J.F.R. & SPYER K.M. Where are the neurones that mediate the fastigial pressor response in the rat? (C) 112*P*

SPYER K.M. *see* DASHWOOD M.R. & SPYER K.M. Muscarinic cholinergic receptors within areas involved in central cardiovascular control: an autoradiographic study in the cat. (PC) 164*P*

STACEY M.J. *see* BANKS R.W., BARKER D., SAED H.H. & STACEY M.J. Innervation of muscle spindles in rat deep masseter. (PC) 161*P*

STANSFELD C. *see* FELTZ A. & STANSFELD C. Dendrotoxin-sensitive small conductance K^+ channels in isolated rat sensory neurones. (PC) 208*P*

STEIN J.F. *see* FOWLER M.S., RIDDELL P.M. & STEIN J.F. Biocular fixation and visual direction sense in backward readers. (C) 74*P*

STEINBERG J. *see* CONTE-DEVOLX B., JOANNY P., OLIVER C. & STEINBERG J. Effects of catecholamines on the release of immunoreactive corticotrophin-releasing factor (IR-CRF) by rat hypothalamic slices *in vitro*. (PC) 200*P*

STERKERS O. *see* AMIEL C., BERNARD C., FERRARY E. & STERKERS O. Sodium transport from endolymph to perilymph across the isolated frog inner-ear epithelium. (C) 120*P*

STEVENS L. *see* FALEMPIN M., HOLY X., LECLERCQ T., MOUNIER Y. & STEVENS L. Contractile properties of rat soleus muscle after two weeks' hindlimb suspension: studies on *in situ* muscle and isolated skinned fibres. (C) 45*P*

STOKHOF A. *see* BRUENS M., DE BEER E., SCHIERECK P., STOKHOF A., VAN HESSEN M. & WESENHAGEN H. The effect of the atrial contraction on the inotropic state of the left ventricle in the anaesthetized closed-chest dog. (C) 106*P*

STUART J. *see* AMESS J.A.L., ELLORY J.C., HALL A.C. & STUART J. Rapid loss of volume-sensitive KCl transport in 'young' human HbAA and HbSS red cells during incubation *in vitro*. (PC) 229*P*

SURPRENANT A. *see* NORTH R.A., SURPRENANT A. & TATSUMI H. Potassium conductance increase and calcium conductance decrease both evoked by α_2-adrenaline and δ-opioid receptor agonists in the same submucous plexus neurones isolated from the guinea-pig. (PC) 179*P*

SYED N.I. & WINLOW W. A central pattern generator for locomotion in *Lymnaea*. (C) 78*P*

TABTI Nacira *see* MOLGO J., TABTI Nacira & THESLEFF S. Is there a presynaptic process, in addition to Ca^{2+} influx, which allows synchronization of transmitter release at the rodent neuromuscular junction? (C) 62*P*

TAKEDA K. *see* BAKHRAMOV A., BREGESTOVSKI P. & TAKEDA K. Histamine-dependent currents in endothelial cells isolated from human umbilical vein. (C) 90*P*

TALEB O. *see* FELTZ A. & TALEB O. Chloride channels at high $[Ca^{2+}]_i$ in isolated porcine intermediate lobe (IL) cells. (PC) 207*P*

TANSER A.R. *see* BREWIN M., HIGGS C.M.B., HUDSON T., KENDRICK A.H., LASZLO G. & TANSER A.R. Diffusing capacity of the alveolar capillary membrane (D_m) and the volume of blood in the alveolar capillaries (Q_c) during exercise in man. (C) 98*P*

TARDIVEL S. *see* CROUZOULON G., DUPUIS Y., FOURNIER P., POREMBSKA S., RAZANAMANIRAKA L. & TARDIVEL S. Involvement of protein kinase C in phosphorylation of alkaline phosphatase from microvillar membranes of the intestine of adult rat. (C) 115*P*

TATSUMI H. *see* NORTH R.A., SURPRENANT A. & TATSUMI H. Potassium conductance increase and calcium conductance decrease both evoked by α_2-adrenaline and δ-opioid receptor agonists in the same submucous plexus neurones isolated from the guinea-pig. (PC) 179*P*

TAUC L. *see* DOLLY J.O., MAISEY E.A., POULAIN B., TAUC L. & WADSWORTH J.D.F. Uptake of both light and heavy chains of botulinum neurotoxin by cholinergic neurones of *Aplysia* is mediated by the larger chain. (PC) 196*P*

TAUC L. *see* BOUX G., FOSSIER P., POULAIN B. & TAUC L. Modulation of acetylcholine release by autoreceptors at a central synapse of *Aplysia*: a pharmacological and electrophysiological approach. (PC) 198*P*

TAXI J. *see* EUGÈNE D. & TAXI J. GABA-ergic innervation in rat isolated superior cervical ganglia (SCG) studied by combined electrophysiological and immunohistochemical techniques. (PC) 175*P*

TAYLOR A. *see* DESSEM D., IYADURAI O.D. & TAYLOR A. The role of periodontal receptors in the jaw-opening reflex in the cat. 315

TAYLOR J.S. *see* CLARKE R.W., FORD T.W. & TAYLOR J.S. The locations within the spinal cord of motoneurones supplying gastrocnemius medialis and semitendinosus muscles of the anaesthetized rabbit. (PC) 158*P*

TEILLAC A. *see* BECQUEMIN M.H., BOUCHIKHI A., ROY M. & TEILLAC A. Lung modelling: influence of ventilatory parameters on total particle deposition in the normal human respiratory tract. (PC) 188*P*

THERMINARIAS A. *see* FLORE P., ODDOU-CHIRPAZ M.F., QUIRION A. & THERMINARIAS A. Effects of cold exposure on catecholamine and metabolic changes obtained during a short exhaustive exercise in man. (PC) 191*P*

THESLEFF S. *see* ANGAUT-PETIT D., MOLGO J. & THESLEFF S. Presynaptic study of frog neuromuscular junction *in vitro* poisoned with botulinum A toxin. (C) 59*P*

THESLEFF S. *see* MOLGO J., TABTI Nacira & THESLEFF S. Is there a presynaptic process, in addition to Ca^{2+} influx, which allows synchronization of transmitter release at the rodent neuromuscular junction? (C) 62*P*

THESLEFF S. *see* MOLGO J., PECOT-DECHAVASSINE M. & THESLEFF S. Effects of cadmium on quantal transmitter release and the ultrastructure of isolated frog neuromuscular junctions. (PC) 195*P*

THIERRY A.-M. *see* MANTZ J. & THIERRY A.-M. Modulation by noradrenergic and dopaminergic ascending systems of the excitatory evoked responses to tail-pinch in the prefrontal cortex of the anaesthetized rat. (C) 67*P*

THIESSON D. *see* AZERAD J., DECORTE L., POLLIN B. & THIESSON D. Histochemical and immunocytochemical study of primary afferent neurones innervating the dental pulp in the rat and in the cat. (PC) 163*P*

THOMAS Steven A. *see* HUME Richard I. & THOMAS Steven A. Multiple actions of adenosine 5′-triphosphate on chick skeletal muscle. 503

THURINGER D. *see* ESCANDE D. & THURINGER D. Characteristics of the i_f current in single human myocardial cells. (PC) 203*P*

TIMET D. Influence of ionic interactions on the suitability of a certain pH for calcium and phosphorus absorption in the bovine stomach *in vitro*. (C) 127*P*

TOMLINSON K.C. *see* BENNETT T., GARDINER S.M. & TOMLINSON K.C. Cardiovascular status in normal (Long Evans) and vasopressin (AVP)-deficient (Brattleboro) rats treated with streptozotocin (STZ). (C) 113*P*

TORRE Vincent *see* CERVETTO Luigi, MENINI Anna, RISPOLI Giorgio & TORRE Vincent The modulation of the ionic selectivity of the light-sensitive current in isolated rods of the tiger salamander. 181

TRAUTMANN A. *see* GIAUME C., NEYTON J., RANDRIAMAMPITA C. & TRAUTMANN A. Protein kinase C could mediate the muscarinic modulation of gap junctions in rat lachrymal glands. (C) 60*P*

TRENTHAM D.R. *see* CAPIOD T., OGDEN D.C., TRENTHAM D.R. & WALKER J.W. Activation of membrane conductance in isolated guinea-pig hepatocytes by photochemically generated intracellular inositol 1,4,5-trisphosphate or free calcium ions. (C) 124*P*

TRICOCHE R. *see* MOMBOULI J.V. & TRICOCHE R. Inhibition of cholinergic endothelium-dependent relaxations in rat isolated aorta by retinoic acid. (C) 51*P*

TRICOCHE R. *see* SIMONET S. & TRICOCHE R. Differences in sensitivity of sheep coronary arteries to 5-hydroxytryptamine after removal of endothelial cells *in vitro*. (C) 52*P*

TROMBA C. *see* DIFRANCESCO D., DUCOURET P., PARENTI M. & TROMBA C. Involvement of adenylate-cyclase in the muscarinic-mediated inhibition of i_f in rabbit SA node. (C) 86*P*

TRUCHOT J.P. *see* NONNOTTE G. & TRUCHOT J.P. Transient changes in extracellular acid–base balance and ionic regulation after transfer from sea water to fresh water in the euryhaline fish, *Platichthys flesus*. (PC) 223*P*

TRUDEAU F. *see* BÉLIVEAU L., BRISSON G., NADEAU R., PÉRONNET F. & TRUDEAU F. Plasma catecholamines (CA) in the aorta and the adrenal vein in dogs: effect of work load and work duration. (PC) 192*P*

TUSSEAU M.H. *see* FAVIER R., GUEZENNEC C.Y., LIENHARD F., SERRURIER B. & TUSSEAU M.H. Influence of suspension hypokinesia on rat muscle NADH. (C) 44*P*

TWIST V.W. *see* POWELL T., TWIST V.W. & YAMAOKA K. Intracellular Ca transients in single guinea-pig ventricular myocytes monitored using indo-1 fluorescence. (C) 105*P*

VACCA G. *see* CEDRINI L., GATTULLO D., HYSLOP S., LOSANO G., MARSH N.A., PAGLIARO P., VACCA G. & VONO P. The acid–base effects of Gaboon Viper venom in the anaesthetized rat. (C) 97*P*

VACCA G. *see* DI LAVORE P., GATTULLO D., GUIOT C., LOSANO G., MARY D.A.S.G., VACCA G. & VONO P. Effect of tachycardia and constriction of left circumflex artery on coronary flow and pressure in anaesthetized dogs. 469

VADROT S. *see* BUTLEN D., MOREL F. & VADROT S. Characterization of insulin receptors along the rat nephron. (C) 132*P*

VAN DER LAARSE W.J. *see* DIEGENBACH P.C., ELZINGA G. & VAN DER LAARSE W.J. Maximum rate of oxygen consumption correlates with succinate dehydrogenase activity of single muscle fibres in *Xenopus laevis*. (C) 43*P*

VAN HESSEN M. *see* BRUENS M., DE BEER E., SCHIERECK P., STOKHOF A., VAN HESSEN M. & WESENHAGEN H. The effect of the atrial contraction on the inotropic state of the left ventricle in the anaesthetized closed-chest dog. (C) 106*P*

VARELA F. *see* PALACIOS A. & VARELA F. Colour vision in the pigeon: an anomaloscope experiment. (C) 23*P*

VASSORT G. *see* HARTZELL H.C., MONGO K.G., SCAMPS F. & VASSORT G. Sphingosine effects on the Ca current in frog cardiac myocytes. (C) 82*P*

VAUGHAN-JONES R.D. *see* BOUNTRA C., HILGEMANN D. & VAUGHAN-JONES R.D. Extracellular pH transients measured with phenol red and pH-selective microelectrodes in isolated sheep cardiac Purkinje fibres. (C) 125*P*

VAUGHAN-JONES R.D. *see* BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. Mechanism of rate-dependent pH changes in the sheep cardiac Purkinje fibre. 483

VÉDEL J.-P. *see* ROMAIGUÈRE P. & VÉDEL J.-P. Variability of motor unit recruitment threshold in man. (PC) 160*P*

VEENENDAAL A. *see* DE BEER E.L., CROWE A., GRUNDEMAN R.L.F., SCHIERECK P. & VEENENDAAL A. Can passive lengthening of the sarcomeres explain the observed force beyond overlap in isolated skinned gracilis muscle of the rabbit? (C) 46*P*

VELLANUEVA L. *see* BING Z., BOUHASSIRA D., LE BARS D. & VELLANUEVA L. Encoding of noxious stimuli by Subnucleus Reticularis Dorsalis (SRD) neurones in the medulla of the anaesthetized rat. (C) 66*P*

VERBAVATZ J.M. Attempts to isolate and characterize the apical plasma membrane of the frog urinary bladder epithelial cells. (PC) 222*P*

VERCHER J.L. *see* GAUTHIER G.M., NOMMAY D. & VERCHER J.L. Ocular muscle proprioception and visual localization in man. (C) 24*P*

VERCHER J.L. *see* GAUTHIER G.M., VERCHER J.L. & ZOUITENI M. Eye–head movement coordination in man: vestibulo-ocular reflex suppression with head-fixed target fixation. (PC) 150*P*

VERNEAU C. *see* KHALLOU J., LUTTON C., PARQUET M., ROITTOT M. & VERNEAU C. Biodynamics of cholesterol and bile acids in cholelithiasic hamsters: effect of amylomaize starch. (C) 55*P*

VIALA D. *see* VIALA G. & VIALA D. Dyssymetrical firing pattern of flexor and extensor lumbar interneurones during spontaneous fictive locomotion in the decorticate rabbit. (PC) 234*P*

VIALA D. *see* FERNANDEZ C., JORDAN M., PERSEGOL L. & VIALA D. Evidence for central entrainment of the medullary respiratory pattern by the locomotor pattern in the decorticate rabbit. (PC) 234*P*

VIALA G. & VIALA D. Dyssymetrical firing pattern of flexor and extensor lumbar interneurones during spontaneous fictive locomotion in the decorticate rabbit. (PC) 234*P*

VIDAL P.P. *see* DEWAELE C., GRAF W. & VIDAL P.P. Vestibular control of skeletal geometry: effect of global and selective unilateral labyrinthine lesions in the guinea-pig. (C) 32*P*

VONO P. *see* CEDRINI L., GATTULLO D., HYSLOP S., LOSANO G., MARSH N.A., PAGLIARO P., VACCA G. & VONO P. The acid–base effects of Gaboon Viper venom in the anaesthetized rat. (C) 97*P*

VONO P. *see* DI LAVORE P., GATTULLO D., GUIOT C., LOSANO G., MARY D.A.S.G., VACCA G. & VONO P. Effect of tachycardia and constriction of left circumflex artery on coronary flow and pressure in anaesthetized dogs. 469

VRBOVA G. *see* LOWRIE M.B. & VRBOVA G. The effect of stimulation on reinnervation of developing rat muscles. (C) 72*P*

WADSWORTH J.D.F. *see* DOLLY J.O., MAISEY E.A., POULAIN B., TAUC L. & WADSWORTH J.D.F. Uptake of both light and heavy chains of botulinum neurotoxin by cholinergic neurones of *Aplysia* is mediated by the larger chain. (PC) 196*P*

WALKER J.W. *see* CAPIOD T., OGDEN D.C., TRENTHAM D.R. & WALKER J.W. Activation of membrane conductance in isolated guinea-pig hepatocytes by photochemically generated intracellular inositol 1,4,5-trisphosphate or free calcium ions. (C) 124*P*

WALLACE W.F.M. *see* GILMORE Ruth St. C., MCSORLEY P., SANDERSON Gwendolyn & WALLACE W.F.M. Interactions of noradrenaline, barium and the calcium antagonist TMB-8 on the smooth muscle of the rabbit isolated ear artery. (C) 99*P*

WALRO Jon M. *see* KUCERA Jan & WALRO Jon M. Differences in the organization of spindles in hindlimb muscles of the rat and cat. (C) 69*P*

WALSH E.G. Resonance at the human wrist. (D) 6*P*

WARD J. *see* DICKSON M., GLADDEN Margaret H., HALLIDAY D.M. & WARD J. Creep and reverse creep in the dynamic bag$_1$ fibre of muscle spindles isolated from the tenuissimus muscle of the cat. (C) 73*P*

WAREHAM A.C. & WILKINSON C.D. Reduced response of ageing rat muscle to compensatory hypertrophy. (C) 50*P*

WEBB D.J. *see* BENJAMIN N., COCKCROFT J.R., COLLIER J.G., RITTER J.M. & WEBB D.J. The effect of enalaprilat on responses to vasoactive peptides in resistance vessels of the human forearm. (C) 101*P*

WESENHAGEN H. *see* BRUENS M., DE BEER E., SCHIERECK P., STOKHOF A., VAN HESSEN M. & WESENHAGEN H. The effect of the atrial contraction on the inotropic state of the left ventricle in the anaesthetized closed-chest dog. (C) 106*P*

WESSLER I. *see* KÜNSTER A., LADWEIN E. & WESSLER I. Stimulation of α- and β-adrenoceptors mediates increase in spontaneous and evoked acetylcholine release from the rat isolated phrenic nerve. (PC) 230*P*

WHALLEY Tim & WHITAKER Michael Guanine nucleotide activation of phosphoinositidase C at fertilization in sea-urchin eggs. (C) 126*P*

WHITAKER Michael *see* WHALLEY Tim & WHITAKER Michael Guanine nucleotide activation of phosphoinositidase C at fertilization in sea-urchin eggs. (C) 126*P*

WHITEHOUSE B.J. *see* ABAYASEKARA D.R.E., ONYEZILI N.I. & WHITEHOUSE B.J. Attenuation of ACTH-induced hypertension in the rat by oral administration of neomycin. (PC) 185*P*

WILCOX C.S. Renal haemodynamics during hyperchloraemia in the anaesthetized dog: effects of captopril. 27

WILKES J.M. *see* BRIGGS Ruth, HIRST B.H. & WILKES J.M. Amiloride sensitivity of proton conductance in rabbit duodenal brush-border membrane vesicles *in vitro*. (C) 117*P*

WILKINSON C.D. *see* WAREHAM A.C. & WILKINSON C.D. Reduced response of ageing rat muscle to compensatory hypertrophy. (C) 50*P*

WILLER J.C. *see* CESARO P., DE BROUCKER T., LE BARS D. & WILLER J.C. Diffuse noxious inhibitory controls (DNIC) in humans: electrophysiological evidence for an involvement of the brain stem. (C) 65*P*

WILLIAMS A.J. *see* ASHLEY R.H. & WILLIAMS A.J. Some effects of calcium and magnesium on the gating of the Ca release channel of sheep heart sarcoplasmic reticulum. (C) 84*P*

WILLIAMS A.J. *see* ASHLEY R.H. & WILLIAMS A.J. Activation of the sheep cardiac muscle sarcoplasmic reticulum membrane Ca^{2+} channel by AR-L 115 (sulmazole). (PC) 213*P*

WILLIAMS J.T. *see* CHERUBINI E., NORTH R.A. & WILLIAMS J.T. Synaptic potentials in rat locus coeruleus neurones. 431

WILLIAMS Thelma L. *see* ALFORD Simon, SIGVARDT Karen A. & WILLIAMS Thelma L. Voltage-dependent conductance activated by excitatory transmission in neurones of the motor system of the lamprey *in vitro*. (C) 87*P*

WINLOW W. *see* DEAN H.G., HETHERINGTON M.S., MCKENZIE J.D. & WINLOW W. Serotonin levels in brain and foot tissue of *Lymnaea* as measured by HPLC. (C) 76*P*

WINLOW W. *see* SYED N.I. & WINLOW W. A central pattern generator for locomotion in *Lymnaea*. (C) 78*P*

YAMAGUCHI N. *see* BOUDREAU G., DE CHAMPLAIN J., NADEAU R., PÉRONNET F. & YAMAGUCHI N. Modulation of noradrenaline release from cardiac sympathetic nerves during left stellate ganglion stimulation in the anaesthetized dog: role of circulating and tissue adrenaline. (PC) 184*P*

YAMAMOTO T. *see* BKAILY G., CHAHINE M., SPERELAKIS N. & YAMAMOTO T. Taurine increases one type of slow Na^+ and Ca^{2+} current in embryonic heart cells. (C) 91*P*

YAMAOKA K. *see* POWELL T., TWIST V.W. & YAMAOKA K. Intracellular Ca transients in single guinea-pig ventricular myocytes monitored using indo-1 fluorescence. (C) 105*P*

YOUNG A. *see* LEVIN R.J., NZEGWU Helen, PEREIRA M. & YOUNG A. Malnourishment enhances the *in vitro* electrogenic secretory response to *E. coli* STa enterotoxin in rat small and large intestine. (C) 56*P*

ZATTARA M. *see* BOUISSET S. & ZATTARA M. Is joint fixation during an intentional movement in man due to tonic activation of antagonistic muscles? (C) 30*P*

ZBROŻYNA A.W. *see* AL-MASKATI Haifa & ZBROŻYNA A.W. Centrally induced inhibition of the cardiovascular and behavioural components of the defence reaction in rats. (C) 111*P*

ZINEBI F. *see* FAGNI L. & ZINEBI F. Excitatory and inhibitory amino-acidergic determinants of the pressure-induced changes in hippocampal activity *in vitro* in the rat. (C) 10*P*

ZOUITENI M. *see* GAUTHIER G.M., VERCHER J.L. & ZOUITENI M. Eye–head movement coordination in man: vestibulo-ocular reflex suppression with head-fixed target fixation. (PC) 150*P*

ZYTNICKI D. *see* HORCHOLLE-BOSSAVIT G., JAMI L., LAFLEUR J., LAMY F. & ZYTNICKI D. Effects of prolonged partial contraction of gastrocnemius medialis muscle on triceps surae and plantaris motoneurones in the anaesthetized cat. (C) 41*P*

CONTENTS OF VOLUME 406

December 1988 (1)

FISHER R.F. The deformation matrix theory of basement membrane: a study of water flow through elastic and rigid filaments in the rat. 1

DUFFIN J. & MCAVOY G.V. The peripheral-chemoreceptor threshold to carbon dioxide in man. 15

WILCOX C.S. Renal haemodynamics during hyperchloraemia in the anaesthetized dog: effects of captopril. 27

GRAY Peter T.A. Oscillations of free cytosolic calcium evoked by cholinergic and catecholaminergic agonists in rat parotid acinar cells. 35

QUASTEL D.M.J. & SAINT D.A. Transmitter release at mouse motor nerve terminals mediated by temporary accumulation of intracellular barium. 55

ANDERSON Debra F., FABER J. Job & PARKS Christine M. Extraplacental transfer of water in the sheep. 75

GREASER Marion L., Moss Richard L. & REISER Peter J. Variations in contractile properties of rabbit single muscle fibres in relation to troponin T isoforms and myosin light chains. 85

HOUSLEY Gary D. & SINCLAIR J.D. Localization by kainic acid lesions of neurones transmitting the carotid chemoreceptor stimulus for respiration in rat. 99

COHEN Neri M. & LEDERER W.J. Changes in the calcium current of rat heart ventricular myocytes during development. 115

KETTENMANN Helmut & SCHLUE Wolf-R. Intracellular pH regulation in cultured mouse oligodendrocytes. 147

AMES III Adelbert & BARAD Mark Metabolic flux of cyclic GMP and photo-transduction in rabbit retina. 163

CERVETTO Luigi, MENINI Anna, RISPOLI Giorgio & TORRE Vincent The modulation of the ionic selectivity of the light-sensitive current in isolated rods of the tiger salamander. 181

ANTONI Hermann, BÖCKER Dirk & EICKHORN Roland Sodium current kinetics in intact rat papillary muscle: measurements with the loose-patch-clamp technique. 199

IKEDA Kazuo & KOENIG J.H. Spontaneous release of multiquantal miniature excitatory junction potentials induced by a *Drosophila* mutant. 215

ALVAREZ-LEEFMANS F.J., GAMIÑO S.M., GIRALDEZ F. & NOGUERÓN Isabel Intracellular chloride regulation in amphibian dorsal root ganglion neurones studied with ion-selective microelectrodes. 225

BAYLOR S.M. & PAPE P.C. Measurement of myoglobin diffusivity in the myoplasm of frog skeletal muscle fibres. 247

FIELD Anne C., HILL Caryl & LAMB Graham D. Asymmetric charge movement and calcium currents in ventricular myocytes of neonatal rat. 277

MARUYAMA Yoshio Agonist-induced changes in cell membrane capacitance and conductance in dialysed pancreatic acinar cells of rats. 299

DESSEM D., IYADURAI O.D. & TAYLOR A. The role of periodontal receptors in the jaw-opening reflex in the cat. 315

LABURN H.P., MITCHELL D., MITCHELL G. & SAFFY K. Effects of tracheostomy breathing on brain and body temperatures in hyperthermic sheep. 331

ROBINSON P.P. The characteristics and regional distribution of afferent fibres in the chorda tympani of the cat. 345

ALLEN D.G., NICHOLS C.G. & SMITH G.L. The effects of changes in muscle length during diastole on the calcium transient in ferret ventricular muscle. 359

GORDON L.G.M. Electrical transients produced by the toad urinary bladder in response to altered medium osmolality. 371

JACOBS Kimberle M., MARK Gregory P. & SCOTT Thomas R. Taste responses in the nucleus tractus solitarius of sodium-deprived rats. 393

CASE R.M., HOWORTH A.J. & PADFIELD P.J. Effects of acetylcholine, isoprenaline and forskolin on electrolyte and protein composition of rabbit mandibular saliva. 411

CHERUBINI E., NORTH R.A. & WILLIAMS J.T. Synaptic potentials in rat locus coeruleus neurones. 431

CONNORS B.W., MALENKA R.C. & SILVA L.R. Two inhibitory postsynaptic potentials, and $GABA_A$ and $GABA_B$ receptor-mediated responses in neocortex of rat and cat. 443

DI LAVORE P., GATTULLO D., GUIOT C., LOSANO G., MARY D.A.S.G., VACCA G. & VONO P. Effect of tachycardia and constriction of left circumflex artery on coronary flow and pressure in anaesthetized dogs. 469

BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. Mechanism of rate-dependent pH changes in the sheep cardiac Purkinje fibre. 483

HUME Richard I. & THOMAS Steven A. Multiple actions of adenosine 5′-triphosphate on chick skeletal muscle. 503